
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.73

# ANDRRA

Spring 1927









The Mall on an estate at Villa Nova, Pa.



# ANDORRA NURSERIES, INC.

CHESTNUT HILL PHILADELPHIA, PA.

Established 1886 Incorporated 1923 1000 Acres

Wm. Warner Harper, President W. Frazier Harrison, Vice Pres. and Treas. J. Howes Humphreys, Secretary

### **Directors**

Wm. Warner Harper W. Frazier Harrison George D. Widener Jay Gates W. B. Read B. F. Mechling, Jr. Frederic L. Ballard

### Sales Department

Wm. J. Lawson Jean H. Cojan Wm. L. Fanshawe

### Service Department

Arthur F. Paul Paul R. H. Hunter

Bell Telephone Chestnut Hill 4200-4201-4202

# **Directions for Ordering**

This Price List Conforms with the 1923 Edition Standardized Plant Names

Give explicit directions as to address and mode of shipment. Shipments will be forwarded exactly as directed, but when without instructions, we will use our judgment in forwarding.

ALL ORDERS ARE ACCEPTED SUBJECT TO prior sale and conditions of stock, under the following terms and conditions:

PRICES in this catalog cancel all previous lists and quotations and are subject to change without notice. Prices include packing, except on special bulky pieces, for which cost of packing will be extra, and are f. o. b. our shipping station, or for local delivery f. o. b. customer's place if within 20 miles of our Nurseries.

**STOCK SPECIALLY SELECTED** by customers at the Nurseries will be charged according to the value of the trees chosen, irrespective of catalog list price.

**RATES.**—Lots of 5 and 50 of a variety will be furnished at the 10 and 100 rates respectively. Where no price per single plant is quoted lots of less than five plants of any one sort are sold at the 10 rate, plus 50%.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

OVERDUE ACCOUNTS subject to interest at 6 per cent.

# Forwarding and Shipping

 ${\bf SHIPPING\ SEASON}$  opens about March 1st in the Spring and August 15th in the Fall.

WE WARRANT all goods to be true to name, full count, up to grade, and in good condition when shipped.

**GUARANTEE.**—We give no guarantee on the life of stock, as we have no control after it leaves our hands, and we will not replace stock without charge.

**CLAIMS** must be made within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIM FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and present your claim promptly to the transportation company.

## ANDORRA NURSERIES, Inc.

CHESTNUT HILL, PHILADELPHIA, PA.


# The Real Value of Planting

There is no doubt that the pleasure we derive from the contemplation or possession of living plants is increased a hundred-fold by skill in their arrangement in the places where they are finally to grow.

The greatest value that a plant can have is certainly not that of a museum specimen, but lies rather in its power to add comfort and attractiveness to the places where we live, work and play.

To all who have planting to do, from the simplest bit to the development of a large place, Andorra Nurseries strongly recommends the advice of a trained Landscape Architect.

From his experience in the use of plant material he can suggest those combinations and arrangements which will be fitting and wise to prevent costly and discouraging mistakes. Planning ahead is a guarantee of success.




# An Invitation to Andorra

Those interested in trees and plants out-of-doors are always cordially welcome at Andorra. Excellent highways through this beautiful rolling section of Pennsylvania, with its charm of Colonial manor house and country-place, offer inviting roads from every direction to visitors in motor cars.

BY MOTOR from Philadelphia, go out the Parkway; along the East River Drive, continuing up the Wissahickon and Lincoln Drives to McCallum Street, turn left and follow through to dead end, turning right on Mermaid Lane and follow good road, turning left on St. Martins Lane, follow through turning right over bridge at Highland Station, continuing three blocks to Germantown Avenue. Turn left to City Line and then left one square to the Nursery.

TRAIN CONNECTIONS over the Chestnut Hill branches of both the Pennsylvania and Reading Railroads make Andorra a two-hour run out of New York and a half hour from the heart of Philadelphia to Chestnut Hill Stations; from Chestnut Hill a ten-minute ride on the City Line car brings one to the Nurseries.




# **EVERGREEN TREES**

This List Conforms with 1923 Edition Standardized Plant Names
All Evergreens are lifted with soil and burlapped

All Prices are for Stock of Our Selection. Customer's Selection Will be Charged at Value of Stock Selected

All Prices are for Stock of Our Selection. Cust Will be Charged at Value of Stock Sel
ABIES concolor.         WHITE FIR. Tall, rapid growing; hardy rich silvery needles. For specimen or groups.         3 to 3½ ft.       Each \$10 00         3½ to 4 ft.       12 50         5 to 6 ft.       15 00         6 to 7 ft.       20 00         Specimens.         Large and handsome—         8 to 12 ft.       \$40.00 to 75 00
A. nordmanniana.  NORDMAN FIR. Tall; dark, glossy green foliage. Good specimen.  3½ to 4 ft
BIOTA (See THUJA).
CEDRUS atlantica glauca.  BLUE MOUNT ATLAS CEDAR. Airy pyramidal tree with silvery-green needles. Use as specimen.  8 to 10 ft
branches make it a picturesque specimen.  8 to 10 ft
CRYPTOMERIA japonica, Drachioides.  JAPANESE TEMPLE CEDAR. Oriental in effect. As specimen or in groups.  10 to 12 ft
C. japonica, Lobbi.  LOBB CRYPTOMERIA. Tall and slender. Splendid for Winter effect of dark bronzetinged foliage. The beauty-loving Japanese use this stately evergreen especially for setting off their temples.  Specimens. 12 to 14 ft Each \$85 00 Specimens. 14 to 15 ft 100 00 Specimens. 15 to 16 ft 125 00 Specimens. 16 to 18 ft 150 00



### LU LU TEMPLE COUNTRY CLUB

ANDORRA SERVICE DEPT.


ILEX. (See also pages 29 and 67.)

6 to 7 ft. ....

I. aquifolium.	
ENGLISH HOLLY. Bright and cheery in	
Winter landscapes in protected corners.	
2 to 2½ ft Each \$3 50	
2½ to 3 ft	
3½ to 4 ft 6 00 4 to 5 ft 8 50	
4 to 5 ft 8 50	
I. opaca.	
AMERICAN HOLLY. Well known and	
hardier than the English Holly. Effective in	
border groups or as specimens. Red Berries.	Per 10
2 to 2½ ftEach \$4 00	\$32 00
2½ to 3 ft 4 50	36 00
3½ to 4 ft	60 00
4½ to 5 ft	80 00
6 to 7 ft	
0 10 1 11, 20 00	
JUNIPERUS chinensis.	
CHINESE JUNIPER. Precise columnar	
form; grayish-green foliage. For formal ef-	
fects or mixed evergreen planting.	
<b>Specimens.</b> 9 to 10 ftEach \$35 00	
<b>Specimens.</b> 10 to 12 ft 50 00	
J. chinensis, albo-variegata.	
WHITELEAF CHINESE JUNIPER. Tall	
pointed pyramid with attractive colored nee-	
dles. For formal use.	
1½ to 2 ftEach \$3 50	32 50
5 to 6 ft	02 00
7 to 8 ft	
8 to 9 ft 35 00	
<b>Specimens.</b> 10 to 12 ft\$40.00 to 60 00	
J. chinensis, femina reevesi.	
REEVES JUNIPER. Of free-growing form:	
more valued in mixed planting than formal	
use. Spreading upright branches.	

JU	INIPERUS chinensis pfitzeriana.	
	PFITZER JUNIPER Its sweeping grav-	
	green branchlets give this broad, bushy type value for mixed planting.	
	1½ to 2 ft. spreadEach \$4 00	
	2 to 2½ ft. spread 6 00	
	2½ to 3 ft. spread 10 00	
	3 to 4 ft. spread	
J.	chinensis, virginalis.	
	GLOBE CHINESE JUNIPER. Very low-	
	growing; use in masses in low border planting.	
	18 to 24 in. spread	
	2½ to 3 ft. spread	
J.	COMMON HINDER Dongs factigiate form:	
	<b>COMMON JUNIPER.</b> Dense fastigiate form; grayish-green foliage. Valuable for formal	
	effects.	
	4 to 5 ftEach \$5 00	
	5 to 6 ft 6 00	
	6 to 7 ft 7 50	
,		
J.	communis, depressa plumosa.  ANDORRAS PURPLE SPREADING JUNIPER.	
	New introduction. Invaluable in Fall and Win-	
	ter when foliage is tinged with rich purple.	Per 10
	12 to 15 in. spreadEach \$2 50	\$20 00
	15 to 18 in. spread 3 00	24 00
	18 to 20 in. spread 4 00	32 50
	20 to 24 in. spread 5 00	40 00
J.	communis, horizontalis douglasi.	
	WAUKEGAN JUNIPER. Dark green foliage.	
	Low growing, spreading; of exceptional merit.	
	12 to 15 in. spreadEach \$3 50	28 00
	18 to 24 in. spread 5 00	40 00
ı	communis, suecica.	
٥.	SWEDISH JUNIPER. For formal use. Slow-	
	growing; gray-green needles. Tall columnar.	
	4 to 4½ ftEach \$6 00	
	5 to 6 ft 7 50	
Į.	excelsa, stricta.	
٠.	SPINEY GREEK JUNIPER. Close-growing,	
	pyramidal form with gray-green foliage. Ex-	
	cellent in the formal garden.	
	18 to 24 in	40 00
	2 to 2½ ft 6 00	50 00
	4 to 4½ ft	
	4½ to 5 ft	
	<b>Specimens.</b> 7 to 8 ft	

JU	JNIPERUS japonica.	
	JAPANESE JUNIPER. Medium growth—fronded form—a loose pyramidal type of great charm.	
	Specimens.       6 to 7 ft.	
J.	japonica, aurea.  GOLDEN JAPANESE JUNIPER. A golden- yellow form of J. Japonica.	Per 10
	2½ to 3       ft.       .Each \$5 00         3 to 3½ ft.       6 00         3½ to 4       ft.       7 50         4 to 4½ ft.       8 50         4½ to 5       ft.       10 00	\$40 00 48 00 60 00 68 00
J.	sabina. SAVIN JUNIPER. Dark green foliage. Suit-	
	able for rockery work.         18 to 24 in.       Each \$3 50         24 to 30 in.       4 50	
J.	sabina, tamariscifolia.	
	TAMARIX SAVIN. Grayish-green foliage,	
	suited for rockery work. Low, spreading. 8 to 10 in. spreadEach \$1 75	15 00
	10 to 12 in. spread	20 00
	15 to 18 in. spread	28 00
J.	squamata.	
	JAPANESE TRAILING JUNIPER. Low, spreading, with sparkling effect of glaucous	
	green foliage. For rock garden or border.	
	10 to 12 in. x 18 to 24 in. spread. Each \$4 00	32 00
J.	virginiana.	
	REDCEDAR. Tall and slender, resembling the Italian Cypress in form and rich, dark	
	green color. All these Cedars should be used	
	more in deciduous plantings, where they give an enlivening note in color and form. All the	
	tall varieties are excellent for formal work.	
	4 to 4½ ft Each \$5 00 4½ to 5 ft 6 00	$\frac{40}{47} \frac{00}{50}$
	5 to 6 ft 7 50	60 00
	6 to 7 ft	
	8 to 9 ft	
	10 to 12 ft	
J.	virginiana, glauca.	
	SILVER REDCEDAR. A bluish gray. For garden or border. Tall and slender.	
	4½ to 5 ftEach \$15 00	
	5 to 6 ft	
	<b>Specimens.</b> 8 to 9 ft	
	Specimens.         8 to 9 ft.         30 00           Specimens.         9 to 10 ft.         35 00           Specimens.         10 to 11 ft.         40 00           Specimens.         11 to 12 ft.         50 00           Specimens.         12 to 16 ft.         \$60.00 to 75 00	
	Specimens. 11 to 12 ft	
	Specimens. 12 to 10 It\$60.00 to 75 00	




CEDARS WELL PLACED.

ANDORRA SERVICE DEPT.

JU	JNIPERUS virginiana, elegantissima.
	GOLDTIP REDCEDAR. Like Redcedar in
	form, with attractive golden tipped growth. Habit compact and columnar. An unusual and
	beautiful tree.
	5 to 6 ft Each \$15 00
	6 to 7 ft
	Specimens. 9 to 10 ft
	Specimens.       10 to 11 ft.       30 00         Specimens.       11 to 12 ft.       35 00
J.	virginiana, Kosteri.
	KOSTER'S JUNIPER. A spreading form of virginia—similar to J. Pfitzeriana—foliage
	deep green.
	18 to 24 in. spread
J.	virginiana, pendula.  WEEPING REDCEDAR. Slender pendulous
	branches. Attractive in evergreen or mixed
	borders.
	6 to 7 ft
	7 to 8 ft
J.	that the salt and
J.	virginiana, schotti.  SCHOTT REDCEDAR. Very like the Red-
	cedar in form and color. Interesting texture.
	5 to 6 ft
	6 to 7 ft
	Specimens.         7 to 8 ft.         20 00           Specimens.         9 to 10 ft.         35 00
	Specimens. 10 to 11 ft 40 00
	<b>Specimens.</b> 11 to 12 ft 50 00
J.	virginiana tripartita.
	FRONDED JUNIPER. Upright branching habit; foliage similar to Juniperus Pfitzeri.
	2 to 2½ ft
	2½ to 3 ft
	5 to 6 ft 25 00

	CEA engelmani.
	ENGELMANN SPRUCE. Broad pyramidal
	form with soft gray-green foliage. Splendid
	as a specimen.
	5 to 6 ft
	6 to 7 ft
D	excelsa.
г.	NORWAY SPRUCE. Best Spruce for screens
	and hedges. Dark green; rapid growth.
	Specimens.         12 to 14 ft.         Each \$35 00           Specimens.         14 to 16 ft.         50 00
	<b>Specimens.</b> 14 to 16 ft
_	
P.	
	ORIENTAL SPRUCE. Pyramidal; dark green; valuable for grouping or specimens.
	3 to 3½ ft Each \$10 00
	4½ to 5 ft
	Specimens. 8 to 9 ft 50 00
	Specimens.         8 to 9 ft.         50 00           Specimens.         10 to 16 ft.         \$75.00 to 150 00
P.	polita.
	TIGERTAIL SPRUCE. Warm, green, spiky foliage. Use as specimen or in groups.
	4½ to 5 ft
	10 to 12 ft\$50 00 to 75 00
_	
Р.	pungens.
Р.	COLORADO SPRUCE. Symmetrical; very
Р.	COLORADO SPRUCF. Symmetrical; very hardy; foliage light green. For specimen or
Р.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.
Р.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
Р.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
Р.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
Р.	COLORADO SPRUCE.         Symmetrical; very hardy; foliage light green.         For specimen or windbreak.           5 to 6 ft.         Each \$15 00 6 to 7 ft.         20 00 7 to 8 ft.
P. P.	COLORADO SPRUCE.         Symmetrical; very hardy; foliage light green.         For specimen or windbreak.           5 to 6 ft.         Each \$15 00           6 to 7 ft.         20 00           7 to 8 ft.         25 00           Specimens.           10 to 18 ft.         \$65.00 to 200 00
	COLORADO SPRUCE.         Symmetrical; very hardy; foliage light green.         For specimen or windbreak.           5 to 6 ft.         Each \$15 00           6 to 7 ft.         20 00           7 to 8 ft.         25 00           Specimens. 10 to 18 ft.           \$65.00 to 200 00           pungens, glauca.           BLUE COLORADO SPRUCE.         Familiar sil-
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
P.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
P.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
P.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft
P.	COLORADO SPRUCE. Symmetrical; very hardy; foliage light green. For specimen or windbreak.  5 to 6 ft



AN INFORMAL TERRACE TREATMENT.

ANDORRA SERVICE DEPT.

A SUCCESSFUL PLANTING at the base of the house, on a rather narrow terrace, where ample space must be left for a walk.

The upright Junipers (J. va. schotti) carry out the vertical movement of the gables and windows. The Prostrate Junipers, Evergreen Azaleas and Dwarf Rhododendron form a rich and colorful ground cover, interesting and warm throughout the year.

The entrance door is marked by Specimen Box Bush.

PI	NUS cembra.	
	SWISS STONE PINE. Very slow-growing conical tree. Attractive silvery-green needles.	
	5 to 6 ft.       Each \$20 00         6 to 7 ft.       25 00         7 to 8 ft.       35 00         8 to 9 ft.       50 00	
P.	densiflora, globosa.  JAPANESE TABLE PINE. (Tanyosho.) So named because it forms a wide, soft green table-top. Lavender-candled buds in Spring.	
	Specimens rich in form and color.         8 to 10 ft x 7 to 8 ft.       Each \$50 00         8 to 10 ft. x 8 to 10 ft.       75 00	
P.	excelsa.  HIMALAYAN PINE. Use this gracefully-branched, silvery-gray-green tree in masses. In habit like White Pine.	
	Specimens.       9 to 10 ft.      Each \$35 00         Specimens.       12 to 20 ft.      \$50.00 to 150 00	
P.	montana, mughus.	
	MUGHO PINE. Dwarf, slow, compact and	
	neat in habit; very hardy. Its dark green foliage and formal shape make it valuable in	
	the same situations where Boxbush is used. Unclipped, it is admirable in low evergreen plantings or rockery.	
	N. B.—These have been recently transplanted and sheared back. They still show hard cutting.	
	18 to 24 in. spread	
	Specimens, 36 to 42 in, spread 10 00	
	Specimens.       42 to 48 in. spread       12 50         Specimens.       48 to 54 in. spread       15 00         Specimens.       54 to 60 in. spread       20 00	
P.	nigra.	
••	AUSTRIAN PINE. One of the best for border or mass planting, or as shelter or screen. Its glossy, dark green needles and rugged branches will stand the smoke of cities.	
	2 to 2½ ft. Each \$5 00 2½ to 3 ft. 6 00 3 to 3½ ft. 7 50	
P.	resinosa.	
	RED PINE. Beautiful dense tree. Bark, reddish brown; foliage, light green.	Per 10
	3 to 3½ ftEach \$7 50 3½ to 4 ft8 50	\$60 00 70 00
	4½ to 5 ft	90 00 100 00

PINUS strob	us.	
-------------	-----	--

WHITE PINE.	Tall	and st	traight	with glau-
cous foliage. G	roup	on lav	vn or b	igh border
with flowering t	rees.	Use f	for clos	e screen.

10 to 12 ft.	Each	\$25	00
12 to 14 ft.		50	00

### Specimens. 16 to 25 ft. ....\$75.00 to 150 00

### P. sylvestris.

SCOTCH PINE. Reddish brown bark, silvery green foliage. A quick growing screen tree. 2 to  $2\frac{1}{2}$  ft. . . . . . . . . . . . . . . . . Each \$4 50

### PSEUDOTSUGA douglasi.

**DOUGLAS FIR.** Beautiful soft, dark green foliage. Can be used for hedges.

6 to 7 ftEach	\$12	50
Specimens. 7 to 8 ft	17	50
Speciment. 8 to 9 ft	25	00
Specimens. 9 to 10 ft		
Specimens. 10 to 12 ft	40	00

### RETINOSPORA filifera. (CHAMAECYPARIS.)

THREAD BRANCHED JAPANESE CYPRESS. Medium height; foliage deep green. For formal use. This and nearly all the following Japanese Cypresses are equally valuable in formal work, in mixed evergreen plantings, as specimens, screen groupings and hedges.

$4\frac{1}{2}$ to 5 ft.		• • •			Each \$12	50
Specimens.	$5\frac{1}{2}$	to	6	ft.		00
Specimens.	6	to	7	ft.	20	00
Specimens.	8	to	9	ft.	25	00
Specimens.	10	to	14	ft.	\$50.00 to 100	00

### R. obtusa, crippsi.

YELLOW HINOKI CYPRESS. Loose growing. Warm color note in garden or base planting.

2	to	21/2	ft.	Each	\$7 50
21/2	to	3	ft.		10 00
41/2	to	5	ft.		20 00
5	to	6	ft.		25 00

### R. obtusa, nana.

**DWARF HINOKI CYPRESS.** Very slow-growing, dwarf. Rich, dark green color. Useful in pots, in garden or in rich base plantings.

-	15	to	18	in.		 		 	 	 .]	Ξa	ch	\$5	00
-	18	to	24	in.	 	 		 	 	 			6	00
9	24	to	27	in.	 			 	 	 	Ì		7	50
9	27	to	30	in.			 i	 			·		10	00

18	EVERGREEN TREES	
RE	TINOSPORA pisifera.	
	SAWARA CYPRESS. Tall, pyramidal shape; broad, flat foliage of deep, glossy green. A beautiful formal specimen when clipped.	
	Specimens.         7 to 8 ft.         \$25 00           Specimens.         8 to 9 ft.         35 00           Specimens.         Well clipped and compact.	
	10 to 16 ft\$50.00 to 100 00	
R.	pisifera, aurea.	
	GOLDEN SAWARA CYPRESS. Golden yellow foliage. Like R. pisifera in form and habit.	
	<b>Specimens.</b> 7 to 8 ft \$25 00	
	Specimens.         8 to 9 ft.         35 00           Specimens.         10 to 16 ft.         575.00 to 150 00	
R.	plumosa.	
	PLUME CYPRESS. This, with the golden variety, stands shearing best. Useful for hedges and formal work. A tall pyramidal shape.  3 to 3½ ft	
	Specimens closely clipped to narrow columnar form, admirably adapted to formal use, 10 to 16 ft\$75.00 to 150 00	
R.	plumosa, aurea.	
	GOLDENPLUME CYPRESS. One of hardiest. The rich golden growth of Spring holds well through the Summer. One of the best for specimens or hedges.	
	Specimens. 7 to 8 ftEach \$25 00	
	Specimens. 8 to 9 ft	
	Specimens. 10 to 18 ft\$75.00 to 150 00	
R.	plumosa, sulphurea.	
	SULPHURPLUME CYPRESS. Soft yellowish-green color; compact form.	
	Specimens. Broad pyramidal shaped—6 to 8 ftEach \$30.00 to 50 00	
R.	squarrosa.	
	MOSS CYPRESS. Choice as specimen. Its silvery-blue foliage is soft and extremely graceful, and stands clipping when used in hedges or for formal specimens.	Do- 10
	7 to 8 ft. HeavyEach \$20 00	Per 10 \$175 00



AN EFFECTIVE ENTRANCE.

ANDORRA SERVICE DEPT

### SCIADOPITYS verticillata.

UMBRELLA PINE. Characteristically Japanese; compact, slow growing and narrowly conical. A beautiful formal specimen.

Specimens.	8	to	9	ft.	Each	\$50	00
Specimens.	10	to	12	ft.		75	00
Specimens.	12	to	14	ft.		100	00
Specimens	14	to	16	ft		150	00

### TAXUS baccata.

ENGLISH YEW. A dense, close branched evergreen with dark green foliage. Berries bright red, splendid in protected positions.

Specimens. 8 to 9 ft... Each \$75.00 to 100 00

### T. baccata, aurea.

GOLDEN ENGLISH YEW. Like the green form in habit, but with exceptionally rich golden tinged foliage.

Specimens. Wide and bushy, boldly contoured. 5 to 7 ft. ..............Each \$50.00 to 75 00

### T. baccata, erecta aurea.

GOLDEN BROOM YEW. Similar in habit to preceding. Foliage bright gold.

Specimens. 5 to 6 ft. .. Each \$35.00 to 50 00

### T. baccata gracilis pendula.

**RAMS HORN YEW.** Growth symmetrical, with horizontal branches drooping at the ends. Most ornamental of the Yews.

Specimens. 8 to 10 ft. ...... Each \$100 00

### TAXUS baccata, repanda.

SPREADING ENGLISH YEW. The Yews are exceedingly rich in foliage and useful in all Evergreen planting. This dwarf type is of most pleasing character and masses well with other Evergreens. As a low hedge it has no superior. Low and spreading; luxuriant dark green foliage. For fronting the Evergreen border it is just right.

12	to	15	in.	Spread	Each \$3	50
15	to	18	in.	Spread	4	00
18	to	20	in.	Spread		00

### T. baccata, washingtoni.

WASHINGTON YEW. Strong growing, dense and bushy; foliage tinged with rich bronze tones in winter. One of the richest of the Yews in form and color.

### Specimens.

### T. cuspidata.

JAPANESE YEW. Dense growing, spreading, deep green foliage; very hardy. Use in plantations near house and garden for its note of richness.

Specimens are unusually large pieces with spreading branches forming plants of rich character,

15 to 18 in.	Spread	Each \$	3 50
18 to 24 in.	Spread		5 00
2 ft. x 2	ft. Spread		8 50
2½ ft x 2½	ft. Spread	1	5 00
Specimens.	2½ to 3 ft. Sprea	d 1	7 50
Specimens.	3 to 3½ ft. Sprea	d 2	0 00
Specimens.	3½ to 4 ft. Sprea	d 2	5 00

### T. cuspidata (capitate form).

UPRIGHT JAPANESE YEW. Hardier than the English Yews. Of upright growth, dense green foliage; slow growing. For grouping or for hedges and garden use.

```
2 to 2½ ft. ......Each $5 00
```

### T. cuspidata, brevifolia.

DWARF JAPANESE YEW. One of the richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spreading branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects.

15 to 18 in.	Each	\$5	00
18 to 24 in.		10	00
Specimens.	2 x 2 ft	20	00
Specimens.	2½ to 3 ft. x 2½ to 3 ft	25	00
Specimens.	3 ft. x 3 ft	30	00
Specimens.	3½ ft. x 3½ ft	35	00



A GARDEN VISTA.

ANDORRA SERVICE DEPT.

TAXUS cuspidata fastigiata. "New."

ANDORRAS UPRIGHT YEW. Propagated from a seedling raised at Andorra. Form broader than the Irish Yew, but distinctly upright.

31/2	to	4	ft.	Each	\$35	00
4	to	41/2	ft.		40	00
41/2	to	5	ft.		50	00

### THUJOPSIS borealis, latifolia glauca.

FALSE ARBORVITAE. Vigorous, erect and slender. Bright, glaucous green foliage.

3	to	31/2	ft.				 		.Ea	ch	\$5	00
31	½ to	4	ft.				 				8	50
6	to	7	ft.			. <b></b> .	 	<b>.</b>			20	00
Sp	ecim	ens.	8	to	10	ft.	 	. \$2	5.00	to	30	00
Sr	ecim	ens.	12	to	14	ft.	 	. \$4	0.00	to	50	00

### T. Standishii. (See Thuja Standishi.)

### THUJA occidentalis.

AMERICAN ARBORVITAE. Columnar; close; admits severe clipping. Splendid hedge plant. Of merit for formal use.

plar	ıt.	Of	meri	t fo	r f	orm	al	use	€.				$\mathbf{Per}$	10
3	to	$3\frac{1}{2}$	ft.							.Each	\$3	75	\$30	00
7	to	8	ft.								10	00	90	00
8	to	9	ft.								12	50		
Spe	cim	ens.	10	to	11	ft.					15	00		
Sne	cim	ens	12	to	14	ft					17	50		

### T. occidentalis, lutea.

Specimens. 14 to 16 ft. .................. 25 00



AN ENTRANCE AT "ERDENHEIM."

ANDORRA SERVICE DEPT.

AN ENTRANCE planting of dignity and simplicity. The value of drifts or masses of a few well-chosen species, instead of a scattering of many kinds, is here shown.

TH	UJA	oce	ider	ital	is,	do	igl:	asi.									
	DO	UGI	AS	A	RB	OR	VI	TA	E.		F	or:	mal	- 81	im		
	pyra	imic	l for	m;	de	зер	gr	eer	1	ilo	nge	θ.	10	eal	for		
		nal	plan	Lini	Y												10
	2	Lo	21/2	ft.								. Id	ach	\$4	00	\$32	50
	21/2		3													40	00
		10	31/2	ft.										5	50	50	00
	31/2	Lo	4	ft.										. 6	50	60	00
		10	11/2	ft.										7	50	67	50
	41/2	Lo	5	fl.										- 8	50	75	00
	5	Lo	6	ft.										12	50	100	00
	6	LO	7	fL.										15	00	125	00
	7	1.6	8	ft.										17	50		
	8	to	9	ft.										20	0.0		
Т.	pac	OBE	Al ay-g	RBC	OR'	VIT Fe	AF or n	ece	ml	, in	fe	n'n	al	use.	,	22	50
	18.1	lo 2	4 in											4	00	37	50
T.	PYI fts mai 4	RAN Laff to fo fo fo fo fo fo fo	######################################	der der ft. ft. ft. ft.	A hanse 	ME abit. da.	RI ma ek	CA tke gre	s i	I. s	ple Sol	enc um E	lld ma lacl	for :	for- rni. 00 00 50 50		
Т.	gro For	SEN with for	talis, ITHA ; commal a fi	AL olu us	A nin	RB	OR h;	ibil	.;	co	lor	d	eep	gre	en.		

THUJA occidentalis, vervaeneana.	
VERVAENE ARBORVITAE. Graceful, bronz	æ.
mottled tree. Pyramidal form for garden	or
house planting.	Per 10
5 to 6 ft	
6 to 7 ft	
7 to 8 ft	
Specimens, 10 to 16 ft\$20.00 to 50	
Specimens. To to to the transfer to or	.,,,
T. standishi.	
STANDISH SITKA CYPRESS. Pyramida	1.
pendulous branches of light green foliage.	, ,
6 to 7 ft,	00
7 to 8 ft	
8 to 9 ft	00
T. orientalis.	
ORIENTAL ARBORVITAE. Tall and slend	
like Italian Cypress; rich dark green. F formal work.	or
3 to 3½ ft Each \$3	75 30 00
3½ to 4 ft	
4½ to 5 ft 5	75 45 00
	00 55 00
	00 64 00
7 to 8 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
10 to 12 ft	
10 00 12 10	0, 120 00
T. orientalis, aurea nana.	
BERKMANS GOLDEN ARBORVITAE. Co	n-
ical; foliage warm golden. For garden	or
foundation planting. Very slow growing a	nd
formal in habit.	
15 to 18 in	
48 to 54 in	
54 to 60 m	00
T. orientalis, compacta.	
PARSONS ARBORVITAE. Dwarf, column	
shape; fresh green. For the very form	
shape; fresh green. For the very form place or hedges.	
place or hedges.  20 to 24 in	50 30 00
place or hedges.  20 to 24 in	50 30 00 00 32 00
place or hedges.  20 to 24 in	50 30 00 00 32 00 00 40 00
place or hedges.  20 to 24 in	50 30 00 00 32 00 00 40 00 00 48 00
place or hedges.  20 to 24 in	50 30 00 00 32 00 00 40 00 00 48 00 50 60 00
place or hedges.  20 to 24 in. Each \$3 2 to 2½ ft. 4 2½ to 3 ft. 5 3½ to 4 ft. 6 4 to 4½ ft. 7	50 30 00 00 32 00 00 40 00 00 48 00 50 60 00
place or hedges.  20 to 24 in	50 30 00 00 32 00 00 40 00 00 48 00 50 60 00
place or hedges.  20 to 24 in	50 30 00 00 32 00 00 40 00 00 48 00 50 60 00
place or hedges.  20 to 24 in	50 30 00 00 32 00 00 40 00 00 48 00 50 60 00 00
place or hedges.  20 to 24 in. Each \$3 2 to 2½ ft. 4 2½ to 3 ft. 5 3½ to 4 ft. 6 4 to 4½ ft. 7 Specimens. 5 to 5½ ft. 10 Specimens. 6 to 8 ft. \$15.00 to 25  T. orientalis, elegantissima.  ROLLINSONS GOLDEN ARBORVITAE. Ta columnar; Japanese in effect and formali	50 30 00 00 32 00 00 40 00 00 48 00 50 60 00 00
place or hedges.  20 to 24 in. Each \$3 2 to 2½ ft. 4 2½ to 3 ft. 5 3½ to 4 ft. 6 4 to 4½ ft. 7 Specimens. 5 to 5½ ft. 10 Specimens. 6 to 8 ft. \$15.00 to 25  T. orientalis, elegantissima.  ROLLINSONS GOLDEN ARBORVITAE. To columnar; Japanese in effect and formali Winter color golden bronze.	aat  50 30 00 00 32 00 00 40 00 00 48 00 50 60 00 00 III, Ey.
place or hedges.  20 to 24 in	aat  50 30 00 00 32 00 00 40 00 00 48 00 50 60 00 00 II, t.y.
place or hedges.  20 to 24 in	11, by.
place or hedges.  20 to 24 in	11, by.



No Evergreen is Better than the Hemlock for Mass Planting.

rsi	UGA canadensis.  CANADA HEMLOCK. For enlivening Winter aspect of deciduous planting, especially in woods or shade; in graceful masses, as a hedge plant that stands clipping, or as a specimen this tree is invaluable. Our hemlocks are closely sheared at intervals to produce extra heavy, bushy trees.  2½ to 3 ft. Each \$6 00 3 to 4 ft. 750 4 to 5 ft. 850 5 to 6 ft. 10 00 6 to 7 ft. 15 00 Specimens. 7 to 8 ft. 20 00 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<b>75</b> 00
	Specimens.       8 to 9 ft.       25 00         Specimens.       10 ft. and up       \$35.00 to 100 00	
	Specimens. 10 It. and up\$55.00 to 100 00	
Т.	diversifolia.  JAPANESE HEMLOCK. Same graceful habit as American form, but with diminutive	
	needles and distinctive cone.	
	2 to 2½ ft. Each \$6 00 2½ to 3 ft. 7 50 3 to 3½ ft. 10 00 3½ to 4 ft. 12 50 4 to 4½ ft. 15 00	
T.	sieboldi.	
••	SIEBOLD HEMLOCK. Of somewhat stiffer	
	habit than our American Hemlock; deep	
	green glossy foliage; most decorative as a	
	specimen.	
	4 to 5 ft	
	17.50	

5 to 6 ft. ...... 17 50

# Trees for Screens and Windbreaks

By properly planting trees of quick-growing varieties in combination with slower growing, more permanent sorts, it is easily possible in a few years' time effectively to blot out objectionable views which mar the outlook from house or lawn, at the same time, by planting flowering trees, evergreens or shrubs on the lawn side, producing an added attractive landscape feature.


# **EVERGREEN SHRUBS**

This List Conforms with 1923 Edition Standardized Plant Names All Prices are for Stock of Our Selection. Customer's Selection will be Charged at Value of Stock Selected

ANDROMEDA	syn. PIERIS.
-----------	--------------

PIERIS floribunda.	
MOUNTAIN FETTERBUSH.	Per 10
15 to 18 in Each \$3 50	\$30 00
18 to 24 in 5 00	45 00
P. japonica.	
JAPANESE FETTERBUSH. Rich green foli-	
age; graceful white flower clusters.	
12 to 15 in	
20 to 24 in 6 00 24 to 30 in 8 50	
ARUNDINARIA japonica (Bambusa metake).	
A dwarf bamboo of merit for undergrowth	
planting; semi-evergreen. Clumps\$2 50	20 00
474474 (G l	
AZALEA. (See also pages 58 and 59.)	
A. amoena. (Hatsugiri.)	
JAPANESE EVERGREEN AZALEA. Spread-	
ing bushy shrub, densely covered in Spring with vivid claret-colored blossoms. Makes a	
handsome hedge; effective in masses.	
8 to 10 in	14 00
10 to 12 in 2 00	16 00
12 to 15 in	$\begin{array}{cccc} 20 & 00 \\ 32 & 00 \end{array}$
15 to 18 in	60 00
Specimens. 3½ to 5 ft\$30.00 to 50 00	00 00
2,2	
A. hinodegiri.	
HINODEGIRI AZALEA. Profuse flowers of	
carmine pink in Spring; bronze-green Winter foliage.	
8 to 10 in	18 50
10 to 12 in 3 00	25 00
12 to 15 in 4 00	36 00
A. indica, alba.	
HARDY INDIA AZALEA. Low growing;	
dense; light green foliage; white flowers.	
12 to 15 in	24 00
15 to 18 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
24 in	40 00
A. indica, rosea.	
PINK INDIA AZALEA. Pink tinted. 12 to 15 in	24 00
15 to 18 in	32 00
24 in	
A. japonica, alba.	
WHITE JAPANESE AZALEA. Masses of	
white flowers in April and May.	
12 to 15 inEach \$3 00	
15 to 18 in, , 4 00	32 00

AZALEA kaempferi.		
TORCH AZALEA.	Per 10	
1½ ftEach \$3 50	\$30 00	
A. kirishima (Damask rose).		
A rare and beautiful form. Very hardy. 12 to 15 in	32 00	
15 to 18 in	40 00	
18 to 24 in	60 00	
A. ledifolia, narcissiflora (Yodogawa).		
<b>LAVENDER AZALEA.</b> Double lavender flowers of great beauty.		
2 to 2½ ftEach \$6 00	48 00	
2½ to 3 ft	80 00	
A. ledifolia, rosea.		
Pink Snow Azalea of broad bushy growth—foliage gray-green, flowers 2½ inches in diameter—of a shell pink color.		
15 to 18 inEach \$4 00	32 00	
18 to 24 in 5 00	40 00	
BERBERIS Juliana.		
WINTERGREEN BARBERRY. Hardy and		
evergreen at Philadelphia. Upright growing evergreen shrub with glossy dark green ob-		
long lanceolate leaves. (from 4-in. pots)Each \$2 00	15 00	
B. verruculosa.		
WARTY BARBERRY. Hardy and evergreen		
at Philadelphia. Dense spreading shrub. Very		
handsome with its dark green lustrous foliage. From 4 in. pots	<b>1</b> 5 00	
BUXUS sempervirens. (Bush Form).  BOXBUSH. Slow-growing, old-fashioned		
plant with incomparable depth and richness		
of billowy texture and color. Breathes spirit		
of Colonial gardens. Excellent for hedges or for specimens. Bush shape, nearly as broad		
as high.		
10 to 12 in Each \$1 00 12 to 15 in	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$	
15 to 18 in	20 00	
B. sempervirens, suffruticosa.		
TRUE DWARF BOX. The best plant		
known for low hedges in the formal garden.  3 to 4 in	2 50	Per 100
4 to 5 in	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	\$10 00 15 00
5 to 6 in	3 50	20 00
6 to 8 in. 8 to 10 in.	$\begin{array}{cc} 7 & 50 \\ 10 & 00 \end{array}$	



BARE LAWN TO FINISHED GARDEN IN ONE YEAR.


ANDORRA SERVICE DEPT.

THERE are many types of gardens, each with its peculiar appeal and charm. There is the intimate, secluded kind where one may delve and experiment and plant what one likes, undisturbed and uncriticized. There is also a type which is vitally important to the building which it supports and of which it should be considered a part. To be a success, such a garden must interpret the character of the house and emphasize its effect in the landscape, not conceal and confuse it. The garden shown above exemplifies this principle. The planting is definitely designed in form and color to lead the eye up a series of ascending terraces to the crowning feature—the house with its background of woodland foliage. The view out from the house also must be considered and whatever it may be, is doubly enjoyed because of the colorful and orderd foreground which such a garden makes.

COTONEASTER buxifolia.	
BOX-LEAVED QUINCE BERRY. Bushy growth, fruit scarlet.	Per 10
1½ to 2 ft Each \$2 00 2 to 2½ ft 2 75	\$16 00 22 50
C. horizontalis. ROCK COTONEASTER.	
3-in. pots       Each \$1 00         6 to 8 in. 3½-in. pots       1 25         8 to 10 in. 4 -in. pots       1 50         10 to 12 in. 5 -in. pots       2 00	$egin{array}{cccc} 7 & 50 \\ 8 & 50 \\ 10 & 00 \\ 12 & 50 \\ \end{array}$
C. horizontalis perpusilla.  From 5-in. pots	
C. franchetti.  FRANCHET COTONEASTER. Semi-ever- green at Phila.; of spreading pendulous habit. Red fruit; rich foliage.	
18 to 24 in	30 00 40 00
C. simonsi.  SIMONS COTONEASTER. Medium height; upright branches; clusters small white flowers; red berries.  3 to 4 ft	<b>5 0</b> 0
CRATÆGUS pyracantha, coccinea.  EVERGREEN THORN. Dense, with thornarmed branchlets. Attractive, shiny, deep green Winter foliage; brilliant scarlet berries lasting till New Year. For borders and hedges.  12 to 15 in. field grown—propogated from fronting plants.	
fruiting plantsEach \$3 50  DAPHNE cneorum.	30 00
ROSE DAPHNE. Very low; spreading. Dark green leaves and sweet pink blossoms in Spring. For border or rockery.	
2 year; 6 to 8 in. in potsEach \$1 50 2 year; 8 to 10 in. in pots 2 00	12 50 15 00
EUONYMUS. (See also Vines.)	
E. radicans.  WINTERCREEPER. Attractive dark green- leaved evergreen plants of slow-growing habit and very hardy; resembling English Ivy somewhat. For covering walls, house founda- tions, as an undergrowth in Evergreen bor- ders or for attractive edging these plants have few equals.	
1-year; field-grownEach \$0 5 2-year; field-grown	

EUONYMUS radicans variegata.		
VARIEGATED WINTERCREEPER. Similar to last, but leaves variegated with creamy		
white and pink. 1-year; field-grownEach \$0 50		Per 100 \$20 00
2-year; field-grown	3 50	
E. radicans carrierei. GLOSSY WINTERCREEPER. Large, hand-		
some, glossy, evergreen leaf; climber for buildings and walls.		
1-year; field-grown	2 50 3 50	20 00 25 00
E. radicans vegetus. BIGLEAF WINTERCREEPER. Scarlet		
fruited, strong growing evergreen vine. Handsome foliage. Use as ground cover.		
1-year; field-grown	2 50 3 50	20 00 25 00
ILEX. (See also pages 10 and 67.)		
I. crenata.		
JAPANESE HOLLY. Open rapid grower. Dark green, glossy leaves; inky black berries. Valuable for formal work when clipped, for specimens, and in borders with bright-fruited plants.		
20 to 24 in Each \$5 00 24 to 30 in. Bushy 8 50 30 to 36 in. Bushy 12 50  Specimens. 3½ to 5 ft \$35.00 to 75 00	45 <b>00</b> 70 00 100 00	
I want faith :		
I. crenata, fortunei.  FORTUNES HOLLY. Rich, shiny, green foliage. For intimate border or garden.		
2 ft Each \$5 00 2½ ft. x 2 ft. 850 2½ ft. x 2½ ft. 12 50		
Specimens.       3       to 3½ ft\$20.00 to 25 00         Specimens.       3½ to 4       ft\$30.00 to 35 00         Specimens.       4½ ft		
Specimens. 4½ ft		
I. crenata, microphylla.  SMALL-LEAVED JAPANESE HOLLY. Slow-growing and dense, and stands severe clipping. Best for hedges.		
1½ ft	30 00 45 00	
2½ ft. 10 00 3 ft. \$20.00 to 25 00	15 00	
4 ft\$30.00 to 35 00		
I. glabra.  INKBERRY. A dense growing shrub with dark green glossy foliage holding late in the winter.		
15 to 18 in. bushy	20 <b>0</b> 0	

KALMIA latifolia.



ANDORRA SERVICE DEPT.

MOUNTAIN LAUREL. Nursery-grown plants. These are very bushy and in every respect specially selected stock. Dark green foliage and showy masses of pink flowers in June. Stands shade well.	Per 10	
-/2 00 0 100 00000000 1100000000000000000	\$20 00 28 00 32 00 32 00	\$180 00 275 00
Car load lots. Prices on application.		
LEUCOTHOE catesbaei.		
<b>DROOPING LEUCOTHE.</b> Graceful arching branches of dark shiny green leaves. Profuse showy white sprays in Spring. Mass for naturalesque effect in shady position.		
12 to 15 in. Clumps       Each \$1 50         15 to 18 in. Clumps       2 00         18 to 24 in. Clumps       2 50	12 50 16 00	
LONICERA. (See pages 69 and 81.)		
L. pileata.  PRIVET HONEYSUCKLE. Low; semi-ever- green shrub; dark green foliage; fragrant white flowers; purple fruit.		
12 to 15 in. spreadEach \$1 00	8 00	
MAHONIA aquifolium.  OREGON HOLLYGRAPE. Desirable for undergrowth in evergreen shrub planting—rich green foliage bronzing in the Fall.	10.00	
15 to 18 in	$\begin{array}{ccc} 16 & 00 \\ 20 & 00 \end{array}$	
M. bealei (japonica).  LEATHERLEAF MAHONIA. Holly-like deep green leaves; large clusters of small yellow flowers; showy bunches of blue-black berries.  Use to border evergreens; shade-loving.  1½ to 2 ft		
PACHYSANDRA terminalis.		
JAPANESE SPURGE. Splendid ground cover in any position. Spring brings a multitude of white nosegays on its dark green carpet. Field-grownper 1000, \$75.00;	<b>1 5</b> 0	10 00



For Border Planting in the Full Sunshine or in Partial Shade

# **RHODODENDRONS**

Andorra Rhododendrons are grown on open hillsides, and can be depended upon to produce satisfactory results. The following list comprises varieties carefully selected for their hardiness and beauty of flower.

### HYBRID RHODODENDRONS-ANDORRA-GROWN

Album elegans. Blush White-
2 ft. from layers
Album grandiflorum. Blush White-
4 to 5 ftEach \$20.00 to 25 00
Atrosanguinea. Dark Scarlet—
2 ft. from layersEach \$7 50
2½ ft
Caractacus. Purple Crimson—
2½ ftEach \$7 50
3 ft
<b>Specimens.</b> 4 ft \$20 00
Charles Bagley. Bright Red-
18 to 24 inch. from layersEach \$5 00
2½ ft. from layers 8 50
3 ft. from layers
Specimens. 3½ to 5 ft\$15.00 to 30 00
Charles Dickens. Scarlet-
2½ ftEach \$8 50
3 ft
4 ft 25 00

HYBRID RHODODENDRONS.
Delicatissimum. White
18 to 24 in. from layers Each \$5 00 24 to 30 in. from layers 7 50
Giganteum.       Rosy Crimson—         18 to 24 in. from layers       Each \$5 00         24 to 30 in. from layers       7 50
Henry W. Sargent. Crimson—
3 ftEach \$12 50
Ignatius Sargent. Deep Pink-
18       to 24 in. from layers       Each \$6 50         24       to 30 in. from layers       8 50         3       ft.       12 50
Jas. McIntosh.         Red—           3 ft.            Each \$12 50
Kettledrum. Deep Red-
18 to 24 in. from layersEach \$5 00
3½ to 5 ft\$20.00 to 35 00
Lady Gray Edgerton. White-
1½ to 2 ft
3 ft 15 00
3½ ft 20 00
Mrs. Milner. Crimson—
3 ft
3½ ft 20 00
4 ft
Parson's Gloriosum. Blush-
3 ft Each \$12 50
3½ ft
Barran's Corn Jiffarman Doop pink
Parson's Grandiflorum. Deep pink—
18 to 24 in. from layers       Each \$5 00         24 to 30 in. from layers       7 50         3 ft.       12 50
<b>Specimens.</b> 3½ to 5 ft:\$15.00 to 35 00
Roseum elegans. True Pink type.
18 to 24 in. from layers Each \$7 50
24 to 30 in. from layers 10 00
2½ ft. from layers
3 ft. from layers 15 00
Specimens. 3½ ft
Specimens. 4 ft
<b>Specimens.</b> 4½ to 5 ft\$25.00 to 35 00



A BASE PLANTING IN GOOD SCALE.

ANDORRA SERVICE DEPT.


\$e.
NDRON, Late Spring Each \$3 75 \$30 00 4 50 40 00 7 50 60 00
10 00 90 00
Deep lavender.
Each \$20 00 25 00 35 00
NDRON. Low, com- sy-pink flowers. Each \$4 00 35 00 
RON. The high- ar to visitors in the forth the lavish
wn     Each     \$2     50     22     50       wn     3     50     32     50       wn     4     00     37     50       wn     5     00     40     00        4     00     32     00        5     00     40     00       application.
77 1
ps. Each \$1 50 12 50 a clumps 3 50 30 00



A WELL PLANTED APPROACH.

ANDORRA SERVICE DEPT.

THE CHARM of informal small shrub planting is shown here. The pendulous form, softness of outline and richness of color of Abelia, Azalea and Barberry massed under an occasional Pine and flowering tree, make this walk delightful and full of surprises at all seasons of the year. An unimportant and unattractive side of the house may thus be turned into a spot of beauty.



AN IDEAL SMALL PLACE

ANDORRA SERVICE DEPT.

## DECIDUOUS TREES

This List Conforms with 1923 Edition Standardized Plant Names All Prices are for Stock of Our Selection. Customer's Selection will be Charged at Value of Stock Selected

### ACER dasycarpum.

SILVER MAPLE. Tall, stately tree gr	owi	ng		
best in moist soil; clear autumnal color.			$\mathbf{Per}$	10
8 to 10 ft	\$2	50	\$20	00
10 to 12 ft	2	75	22	50
14 to 16 ft.; 3 to 3½ in			70	00
18 to 20 ft.; 4 to 5 in\$10.00 to	20	00		

### A. ginnala.

AMUR	IVI A	APLE.	Medium	neight,	IOW-	
branch	ed. I	Brilliant	autumnal	coloring.		
						12 00
						16 00
5 to 6	ft.				2 50	
Specim	ens.	Wide	spreading;	branched	l low.	
8 to	12 ft.	in heig	htEach	35.00 to \$	75 00	

### A. negundo.

BOXELDER.	Rapid	growing,	medium	height.	
For quick ser	een or	windbreak			
6 to 8 ft			Eac	h \$2 00	15.00

THE NORWAY MAPLE is a most valuable tree for lawn or street planting, where quick results are desired. It is of rugged constitution giving good results in positions where other trees will not thrive, and carrying broad, heavy, foliage, it is most useful either for shade or for screen purposes.

We offer the following sizes in trees which have been **thoroughly root pruned** so that they carry an abundance of fibrous feeding roots.

The tops have been cut back and thoroughly pruned, thus developing heavy stems and bushy tops, making a tree which we term extra heavy, as compared with the average Norway Maple.

The stock in the smaller sizes is limited, but in the grades from 3-inch caliper up, we can supply large quantities. We will be glad to make special prices for quantity lots, or for carload shipments.

### ACER platanoides.

NORWAY MAPLE. Rapid growing; symmetrical; valuable for lawn, street and avenue planting; holds its rich green leaves till late in Fall taking on rich yellow tones.

Per 10 12 to 14 ft.; 2 to 2 1/4 in. ..... Each \$5 00 \$45 00 12 to 14 ft.; 2¼ to 2½ in. ..... 6 00 54 00 12 to 14 ft.; 2½ to 2¾ in. ..... 7 00 63 00 14 to 16 ft.; 2¾ to 3 in. ...... 8 00 72 00 14 to 16 ft.; 3 to 3\(\frac{1}{4}\) in. ..... 10 00 90 00 112 50 16 to 18 ft.; 3¾ to 4 in. ...... 15 00 135 00 18 to 20 ft.; 4 to 4½ in. ...... 20 00

Larger Specimen Trees. Tall and spreading from 6 to 12 inches in diameter. Prices on application.

18 to 20 ft.; 4½ to 5 in. Each \$25.00 to 35 00

Per 100 \$285 00 360 00

DECIDUOUS TREES	
ACER platanoides purpurea.  SCHWEDLER PURPLE MAPLE. Purplish crimson foliage in Spring. In habit like Norway Maple. Use as specimen.  10 to 12 ft.; 1¾ to 2 inEach \$7 50 12 to 14 ft.; 2¼ to 2½ in 8 50 14 to 16 ft.; 2½ to 2¾ in 10 00 14 to 16 ft.; 3½ to 4 in 20 00 Larger pieces, prices on application.	
A. rubrum.  RED MAPLE. Strikingly vivid crimson. Fall foliage; tall, spreading; prefers moist positions; red flowers in early spring.  12 to 14 ft.; 1½ to 1¾ in Each \$4 00 12 to 14 ft.; 1¾ to 2 in 5 00 14 to 16 ft.; 2 to 2¼ in 6 00 14 to 16 ft.; 2½ to 2½ in 7 50 14 to 16 ft.; 3 to 3¼ in 15 00 16 to 18 ft.; 3½ to 4 in\$20.00 to 35 00 Specimens. 18 to 22 ft.; 4 to 6 in. Prices on application.	Per 10 \$36 00 45 00 54 00 60 00
A. saccharum.  SUGAR MAPLE. Broad-headed; erect; attractive autumn foliage. For street or lawn. Avoid boggy ground.  10 to 12 ft.; 1½ to 1½ inEach \$3 50 12 to 14 ft.; 1½ to 1¾ in	31 50 40 00 45 06 60 00 70 00 90 00
A. palmatum (polymorphum).  JAPANESE MAPLE. Dwarf, dense growing; bright green foliage, scarlet to purple in Fall. Rich as specimen or with evergreens. 6 to 7 ft. x 4 to 5 ftEach \$30.00 to \$35 00 Specimens. 8 to 12 ft. Prices on application  A. palmatum atropurpureum dissectum.  WEEPING BLOODLEAF JAPANESE MAPLE. Very small. Deep blood-red divided foliage; spreading graceful branches. 24 to 30 in. spreadEach \$15 00 Specimens. 3 to 5 ft. x 5 to 6 ft. Each \$50.00 to \$75 00	

A. palmatum dissectum.

WEEPING CUT-LEAVED JAPANESE MA-PLE. Very dwarf; broad; graceful; light green foliage. Mass with evergreens.

2½ to 3 ft. x 4 ft .......Each \$35 00 3 to 4 ft. x 4 to 6 ft.....\$50.00 to 75 00

AESCULUS glabra.	
OHIO BUCKEYE. Large growing; good foliage; yellow flowers.	Per 10
6 to 8 ft	\$20 00 32 50
A. hippocastanum.  EUROPEAN HORSE CHESTNUT. Large; symmetrical; profuse white flowers. For lawn or group.  10 to 12 ft.; 2½ to 2½ inEach \$4 50 10 to 12 ft.; 2¾ to 3 in 7 50 12 to 14 ft.; 3 to 3¼ in 10 00 12 to 14 ft.; 3½ to 4 in\$15.00 to 20 00 14 to 16 ft.; 4½ to 6 in.;\$25.00 to 75 00	
A. hippocastanum alba pleno.  DOUBLE WHITE-FLOWERED HORSE CHESTNUT. Regular outline; Maytime bloom. For lawn groups.  14 to 16 ft.; 3 to 3½ inEach \$20 00 16 to 18 ft.; 4 to 5 in\$25.00 to 50 00 Larger Specimen Trees. Prices on application.	
AMYGDALUS (Peach). See Persica.	
BETULA alba laciniata. Cut-leaf Weeping White Birch. 6 to 8 ftEach \$5 00	
BROUSSONETIA papyrifera. PAPER MULBERRY. 8 to 10 ft	
AMERICAN HORNBEAM. Shrubby tree; good foliage. Valuable for screen or hedge.  5 to 6 ft	40 00 60 00 90 00
<ul> <li>C. betulus.</li> <li>EUROPEAN HORNBEAM. Low, spreading; for clipped or pleached forms. A good specimen for lawns.</li> <li>Specimens. 8 to 10 ft. B. &amp; B. \$10.00 to \$12 50 Specimens. 10 to 14 ft. B. &amp; B.15.00 to 20 00</li> </ul>	
CATALPA bignonioides nana.  UMBRELLA CATALPA. Dense heads on slender stems give common name. For formal use.  5 to 6 ft. Standards	
<ul> <li>C. speciosa.</li> <li>WESTERN CATALPA. Large, hardy, rapid. White flowers. For heavy screen or woods planting.</li> <li>12 to 14 ft.; 2 to 2½ inEach \$3 00</li> </ul>	27 00
16 to 18 ft.; 3 in 3 50	30 00



TWIN HOUSES AND A GARDEN.

CELTIS occidentalis.

ANDORRA SERVICE DEPT.

	HACKBERRY. A slow-growing tree, foliage	
	resembling the Elm; a good dense-headed	
	tree for screen purposes.	Per 10
	6 to 8 ft	\$20 00
CI	ERCIS canadensis.	
	AMERICAN RED BUD. Profuse rich purple	
	flowers in early Spring. Effective with ever-	
	greens.	
	3 to 4 ftEach \$1 00	7 50
	4 to 5 ft	9 00
	5 to 6 ft 2 00	12 50
C	ERASUS avium alba plena. (Prunus.)	
	DOUBLE WHITE FLOWERING CHERRY.	
	Deputiful graph to a linear had a planting	

Beautiful small tree; enlivens border planting with its bloom.

14 to 16 ft. ......Each \$75 00 Specimens.

### C. avium rosea plena.

DOUBLE PINK CHERRY, 4 to 5 ft. Each \$3 50

### C. avium rosea pendula.


PINK WEEPING JAPANESE CHERRY. form of rare beauty and Japanese character for the garden. Flowers in early Spring. 5 to 6 ft. Bottom grafted......Each \$10 00

6 to 7 ft. Top grafted 5-yr. heads..... 20 00

### CERCIDIPHYLLUM japonicum.

KATSURA TREE. Rich reddish Spring foliage; Fall coloring salmon pink.

7	to	8	ft.	B.	&	В.	Each \$15	00
							20	
10	to	12	ft.	B.	&	B.	25	00
S	pec	ime	ens.	F	ric	es	on application.	



A TERRACE SLOPE PLANTED.	ANDORRA SERVICE DEPT.
CORNUS. (See also pages 62 and 63.)	
C. florida.	
WHITE FLOWERING DOGWOOD. Sma upright tree. White blossoms; scarlet frui For border with evergreens.	
5 to 6 ft	00 \$24 00
8 to 10 ft. Heavy B & B 7 5	
10 to 12 ft. Heavy B. & B 10 0 12 to 14 ft. Heavy B. & B 15 0	00 80 00 00 120 00
Specimens. 14 to 16 ft. B. & B. \$25.00 to 50	
C. florida.	
STANDARDS. These trees in the formagarden are extensively attractive.	ıI
8 to 9 ft.; headed 6 ft. B. & B. Each \$10 0	0 90 00
9 to 10 ft.; headed 5 to 6 ft. B. & B. 12 5	0 100 00
10 to 12 ft.; headed 5 to 6 ft. B. & B. 15 0	0 125 00
12 to 14 ft.; headed 5 to 6 ft. B. & B. 20 0	-
<b>Specimens.</b> 14 to 16 ft. B. & B. \$25.00 to 50 0	10
C. florida pendula.	
WEEPING DOGWOOD.	
5 to 6 ft	70 00
6 to 7 ft 10 0	0 90 00
C. florida rubra.	
PINK FLOWERING DOGWOOD. Bloomin	gr gr
at the same season as the white form.	_
3 to 4 ftEach \$5 0	0
C. kousa.	
KOUSA DOGWOOD. A rare dogwoo	
blooming in June. Large white flowers sin ilar to our own Flowering Dogwood.	1-
	0
6 to 7 ftEach \$8 5	0

7 to 8 ft. B. & B. 8 to 9 ft. B. & B. 9 to 10 ft. B. & B. 12 to 14 ft. B. & B. 14 to 16 ft. B. & B.



CORNUS FLORIDA PLENA

### DOUBLE WHITE FLOWERING DOGWOOD

Few introductions have the merit of this double flowered dogwood. The eight-petaled blooms closely resemble the Camelia—are borne in clusters like C. florida, but give a richer effect in flower.

5	to	6	ft.					 	 	 Each	\$7	50
6	to	-7	ft.					 		 	10	0.0
7	to	8	ft.	Specimens.	В.	&	В.	 		 	12	0.0
				Specimens.								
				Specimens								

CRATAEGUS coccinea.		
SCARLET HAW. Useful as a small speci-		
men, or in group or mass planting. White		
blooms in May; brilliant orange-scarlet fruit		
in Fall, holding very late.	Per 10	
4 to 5 ft	\$27 50	
6 to 7 ft. B. & B 5 00 7 to 8 ft. B. & B 7 50	40 00	
7 to 8 It. D. & B 7 50	60 00	
<b>Specimens.</b> 8 to 10 ft. B. & B 15 00	135 00	
C. cordata.		
WASHINGTON THORN. June flowering;		
bright Fall coloring and red fruit. For high		
shrub border.	00.50	
4 to 5 ft. B. & BEach \$3 50	32 50	
5 to 6 ft. B. & B 5 00 6 to 7 ft. B. & B 6 50	$\frac{45}{55} \frac{00}{00}$	
6 to 7 ft. B. & B 6 50 7 to 8 ft. B. & B	33 00	
8 to 10 ft. B. & B		
Specimens. 14 to 16 ft. B. & B 50 00		
C. crus-galli.		
COCKSPUR THORN. Small, bushy tree; at-		
tractive flowers, long thorns, showy fruit;		
excellent for hedges.		
4 to 5 ft	24 00	
5 to 6 ft. Bushy 3 50 6 to 7 ft. B, & B. 5 00	30 00	
6 to 7 ft. B. & B 5 00	45 00	
*7 to 8 ft. B. & B	70 00	
*8 to 10 ft. B. & B	90 00	
*Specimens. 12 to 16 ft\$25 00 to 35 00		
C. flava.		
Wide spreading habit; yellow fruits.	8 50	Per 100
2 to 3 ft	$\frac{3}{20} \frac{30}{00}$	\$75 00
	20 00	
C. mollis.  DOWNY HAWTHORN. Bright green leaves,		
showy flowers and scarlet fruit.		
	36 00	
Specimens.         6 to 7 ft.	60 00	
Specimens. 8 to 10 ft. B. & B 8 50	75 00	
Specimens. 10 to 12 ft. B. & B 10 00	85 00	
Specimens.       7 to 8 ft. B. & B.       7 50         Specimens.       8 to 10 ft. B. & B.       8 50         Specimens.       10 to 12 ft. B. & B.       10 00         Specimens.       12 to 14 ft. B. & B.       12 50	<b>100 0</b> 0	
C. oxycantha splendens.		
PAUL'S SCARLET ENGLISH HAWTHORN.		
4 to 5 ft		
5 to 6 ft 5 00		
C. oxycantha alba fl. pl.		
DOUBLE WHITE ENGLISH HAWTHORN.		
3 to 4 ftEach \$3 50		
5 to 6 ft 5 00		
C. oxycantha rosea fl. pl.		
DOUBLE PINK ENGLISH HAWTHORN.		
3 to 4 ft Each \$3 50 4 to 5 ft 5 00		
C. punctata. DOTTED HAWTHORN. Spreading habit,		
good foliage and flowers; bright reddish yel-		
low fruit.		
3 to 4 ft	20 00	150 00
5 to 6 ft 3 50	30 00	240 00
6 to 7 ft 4 00	36 00	
Specimens.         7 to 8 ft. B. & B.         7 50           Specimens.         8 to 10 ft. B. & B.         8 50	60 00	
<b>Specimens.</b> 8 to 10 ft. B. & B 8 50	75 00	

DIOSPYROS virginiana.		
COMMON PERSIMMON. Medium tree; graceful spreading form; reddish-orange fruit.		
6 to 8 ftEach \$3 50		
FAGUS americana.		
AMERICAN BEECH. Handsome symmetrical tree; smooth gray bark. Excellent for screen and lawn or specimen. For high hedges when clipped.	Per 10	
4 to 5 ft. B. & B.       Each \$5 00         5 to 6 ft. B. & B.       7 50         6 to 7 ft. B. & B.       10 00         7 to 8 ft. B. & B.       12 50         8 to 10 ft. B. & B.       15 00	\$45 00 67 50 90 00 112 50	
Specimens. 10 to 14 ft. Prices on application		
F. sylvatica.		
EUROPEAN BEECH. Compact tree, tenacious of foliage till early Winter; unsurpassed for hedges.		
7 to 8 ft. B. & B	$\begin{array}{ccc} 112 & 50 \\ 135 & 00 \end{array}$	
Specimens. 12 to 20 ft. Prices on application.		
F. sylvatica purpurea.		
PURPLE BEECH. Plant with green-foliaged neighbors to bring out rich purplish color.		
Specimens. 8 to 10 ftEach \$25 00 Specimens. 12 to 30 ft. Prices on application.		
F. sylvatica riversi.		
RIVERS BEECH. Much deeper purple foliage than foregoing. Use as specimen.		
6 to 7 ft		
Specimens. 18 to 30 ft.; 10 to 25 ft. spread.  Prices on application.		
FRAXINUS americana.		
WHITE ASH. One of the handsomest of our large broad-headed trees suitable for street and avenue or park planting. In Autumn the coloring of the foliage is unusually beautiful.		Per 100
	20 00	\$175 00
10 to 12 ft.; 1½ to 2 in Each \$2 50 12 to 14 ft.; 2 to 2½ in	$\begin{array}{ccc} 30 & 00 \\ 40 & 00 \\ 50 & 00 \end{array}$	240 00
F. lanceolata.		
GREEN ASH. Moisture loving tree with dark green, round-topped head.		
12 to 14 ft.; 2 in Each \$3 00 14 to 16 ft.; 2½ to 3 in 3 50	$\begin{array}{ccc} 27 & 00 \\ 30 & 00 \end{array}$	

GINGKO biloba. (Salisburia.)		
MAIDENHAIR TREE. For use as tall avenue tree. Will thrive in smoky situations. Foliage resembles maidenhair fern, and turns		
brilliant yellow in Fall. Untrimmed, it forms a charming, open, irregular head. Resembles Lombardy Poplar in early stages of growth.		
10 to 12 ft.; 1½ in Each \$4 00 10 to 12 ft.; 1¾ in 4 50 12 to 14 ft.; 2 in 5 00	Per 10 \$45 00	
14 to 16 ft.; 2¼ in. 6 00 14 to 16 ft.; 2½ in. 6 75 16 to 18 ft.; 2¾ in. 7 50	54 00 60 00 67 50	
18 to 20 ft.; 3 to 4 in\$12.50 to 25 00		
GLEDITSCHIA aquatica.		
WATERLOCUST. Airy-leaved, white-flowering tree, thriving in moist places.		
10 to 12 ft	20 00 26 00	
G. triacanthos.		
HONEY LOCUST. Large, thorn-armed tree with white fragrant flowers.		
8 to 10 ft	$\begin{array}{ccc} 20 & 00 \\ 45 & 00 \end{array}$	
14 to 16 ft.; 2½ to 3 in 5 00 16 to 18 ft.; 3 to 4 in	45 00	
GYMNOCLADUS dioica.		
KENTUCKY COFFEETREE. Interesting open-headed tree; luxuriant, divided foliage.	<b>15.00</b>	
4 to 5 ft	15 00 30 00	
16 to 18 ft.; 2½ to 3 in 5 00	40 00	
HALESIA tetraptera.		
GREAT SILVERBELL. A small tree with rounded top; dark green foliage. Small white flowers in early May. A desirable garden tree.		
5 to 6 ftEach \$2 00	15 00	Per 1
6 to 7 ft	$\frac{20}{30} \frac{00}{00}$	\$180
8 to 10 ft. 4 50 10 to 12 ft. 7 50	40 00	
10 to 12 ft	60 00	
KOELREUTERIA paniculata.		
VARNISH TREE. Characteristically Chinese, bearing golden-yellow flowers in July. Rich golden brown Fall foliage.		
7 to 8 ft		
8 to 10 ft. 4 50 10 to 12 ft. 7 50		
LABURNUM vulgare.		
GOLDEN CHAIN. A small tree bearing long racemes of golden blossoms in June.		
2 to 3 ft	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$	



A NORMAN COURT YARD.

ANDORRA SERVICE DEPT.

### LARIX leptolepsis.

JAPA	NESE	LARCH. Soit bluish-green nee-		
dles.	Rapid	growing.	$\mathbf{Per}$	10
5 to	6 ft.	Each \$3 50	\$30	00
6 to	8 ft.	4 50	40	00
8 to	10 ft.	5 00	45	00
14 to	16 ft.:	; 3 to 3½ in 7 50		
16 to	18 ft.	; 3½ to 4 in 10 00		

### LIQUIDAMBAR styraciflua.

SWEETGUM. Maple-like leaves purplisherimson in Fall; medium height. For lawn or avenue.

A very fine lot of extra large specimens, thoroughly transplanted, to be lifted with ball, in sizes 20 to 30 ft., 7 to 9 in. in caliper. Prices on application.

### LIRIODENDRON tulipifera.

TULIPTREE. Large, rapid spreading tree; fragrant vellow flowers.

	<b>ص</b> ٠٠		2 011	· · · -		0-20						
											12	
8	to	10	ft.;					 	 $^{2}$	00	16	00
10	to	12	ft.;	11/2	to	2	in.	 	 2	<b>5</b> 0		
10	to	12	ft.;	2	to	21/2	in.	 	 3	50		
12	to	14	ft.:	21/2	to	23/4	in.	 	 4	00		
14	to	16	ft ·	3 ir	1			 	 5	00		

### MAGNOLIAS-FLOWERING TREES

	GNOLIA acuminata.         Vellowish-white         June           CUCUMBER TREE.         Yellowish-white         June           flowers.         Deep scarlet cucumber-shaped fruit.         6 to 8 ft.         Each \$2 50           8 to 10 ft.         3 00           10 to 12 ft.         3 50		
M.	glauca. (See page 47.)		
M.	macrophylla.  BIGLEAF MAGNOLIA. Growing to a height of forty feet. Leaves 15 to 24 inches long and wide in proportion. Blooms white—10 inches in diameter. Hardy as far North as Philadelphia.  5 to 6 ft	Per 10 \$50 00 60 00	
M.	tripetala.           UMBRELLA MAGNOLIA. Open headed, spreading; large leaves and blossoms.           5 to 6 ft.        Each \$1 50 6 to 8 ft.	$\begin{array}{ccc} 12 & 00 \\ 16 & 00 \\ 28 & 00 \end{array}$	Per 100 \$100 00 125 00 200 00
M.	alexandriana.  ALEXANDER MAGNOLIA. Hardy vigorous. Large, glossy foliage; deep cupshaped pink tinted flowers in April.  6 to 8 ftEach \$20.00 to \$25 00 9 to 10 ft\$35.00 to 50 00		
M.	kobus.         KOBUS MAGNOLIA.       3 to 4 ft.       Each \$5 00         4 to 5 ft.       7 50         5 to 6 ft.       10 00	40 00 60 00 80 00	
M.	lennei.           LENNE MAGNOLIA.         Strong-growing, purple colored, cup-shaped, April blossoms against dark green foliage.           4 to 5 ft.         Each \$10 00 5 to 6 ft.         15 00           Specimens.         7 to 10 ft.         \$50.00 to 75 00		
M.	soulangeana.  SAUCER MAGNOLIA. Hardy, vigorous, large, glossy foliage; pink cup-shaped flowers in April. One of the best garden or specimen plants.  5 to 6 ft		
M.	stellata.  STAR MAGNOLIA. Low, slow-growing, bushy variety. Very early; pure white showy flowers. For the garden or border.  2½ to 3 ft		



## THE SWEET MAGNOLIA

Magnolia Glauca

A BEAUTIFUL, small, shrubby tree, thriving in any good soil or situation, and useful for positions too damp for many trees. The rich, glossy green foliage is glaucous beneath, giving the whole a silvery sheen. The cream-white, waxlike flowers are highly fragrant, and the seed-pods which follow open to show brilliant coral seeds.

Used in masses with evergreens, in the shrub border, as hedges or for specimens, it gives added pleasure to any planting.

### Recently Transplanted Stock Dug and Shipped with a Ball of Soil

	Each	Per 10
4 to 5 feet	\$6 00	\$48 00
5 to 6 feet	7 50	60 00
6 to 7 feet	8 50	70 00
7 to 8 feet	10 00	80 00
8 to 10 feet	15 00	125 00
10 to 12 feet	20 00	

## Flowering Apples

The Flowering Crab Apples (Pyrus) are ornamental little trees clothed with fragrant flowers in Spring, followed by attractive yellow or orange Autumnal fruit. Ideal for border plantings and as background for the flower garden, as well as for specimen planting.

MA	ALUS baccata.	
	SIBERIAN FLOWERING CRAB. Free, robust,	
	round-headed tree with white flowers.	Per 10
	5 to 6 ft	\$36 00 45 00
	6 to 7 ft	57 50
	8 to 9 ft	62 50
M.	coronaria.	
	WILD SWEET CRAB. Fragrant blush bloom and large fruit.	
	5 to 6 ft	36 00
	6 to 7 ft	45 00
	7 to 8 ft 6 50	57 50
N/I	dawsoniana.	
141.	DAWSON FLOWERING CRAB. Large	
	white flowers and yellowish-green fruit.	
	4 to 5 ft	24 00
	7 to 8 ft 6 50	<b>57</b> 50
B.//	flexilis.	
IVI.	Flowers of delicate rose pink.	
	4 to 5 ft	31 50
	5 to 6 ft	
M.	floribunda.  JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.	
M.	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.  5 to 6 ft	36 00 45 00
M.	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.	36 00 45 00
	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.  5 to 6 ft	
	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.  5 to 6 ft	
	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.  5 to 6 ft	45 00 36 00
	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.  5 to 6 ft	45 00
M.	JAPANESE         FLOWERING         CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00         6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE         CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00         6 to 7 ft.         5 00           7 to 8 ft.         6 50	36 00 45 00
M.	JAPANESE         FLOWERING         CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00         6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00         6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.	36 00 45 00
M.	JAPANESE FLOWERING CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.           BECHTELS CRAB.         Peach blush, double,	36 00 45 00
M.	JAPANESE FLOWERING CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.           BECHTELS CRAB.         Peach blush, double, sweet-scented blossoms.	36 00 45 00
M.	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.         5 to 6 ft.       Each \$4 00 6 to 7 ft.         6 to 7 ft.       5 00         floribunda atrosanguinea.         CARMINE CRAB. Very showy; rich rose-red blossoms.         5 to 6 ft.       Each \$4 00 6 to 7 ft.       5 00 7 to 8 ft.         7 to 8 ft.       6 50         ioensis.         BECHTELS CRAB. Peach blush, double, sweet-scented blossoms.         4 to 5 ft.       Each \$5 00 6 to 8 ft.         6 to 8 ft.       12 50	36 00 45 00
M.	JAPANESE FLOWERING CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.           BECHTELS CRAB.         Peach blush, double, sweet-scented blossoms.           4 to 5 ft.         Each \$5 00	36 00 45 00
м. м.	JAPANESE FLOWERING CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.         BECHTELS CRAB.         Peach blush, double, sweet-scented blossoms.           4 to 5 ft.         Each \$5 00           6 to 8 ft.         12 50           8 to 10 ft.         20 00	36 00 45 00
м. м.	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB. Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.           BECHTELS CRAB. Peach blush, double, sweet-scented blossoms.           4 to 5 ft.         Each \$5 00           6 to 8 ft.         12 50           8 to 10 ft.         20 00   niedzwetzkyana.	36 00 45 00
м. м.	JAPANESE FLOWERING CRAB.         Profuse rose-colored flowers followed by red fruit.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           floribunda atrosanguinea.           CARMINE CRAB.         Very showy; rich rose-red blossoms.           5 to 6 ft.         Each \$4 00           6 to 7 ft.         5 00           7 to 8 ft.         6 50           ioensis.         BECHTELS CRAB.         Peach blush, double, sweet-scented blossoms.           4 to 5 ft.         Each \$5 00           6 to 8 ft.         12 50           8 to 10 ft.         20 00	36 00 45 00
м. м.	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.         5 to 6 ft.       Each \$4 00         6 to 7 ft.       5 00         floribunda atrosanguinea.         CARMINE CRAB. Very showy; rich rose-red blossoms.         5 to 6 ft.       Each \$4 00         6 to 7 ft.       5 00         7 to 8 ft.       6 50         ioensis.         BECHTELS CRAB. Peach blush, double, sweet-scented blossoms.         4 to 5 ft.       Each \$5 00         6 to 8 ft.       12 50         8 to 10 ft.       20 00         niedzwetzkyana.         REDVEIN CRAB. Showy deep pink flowers; purplish fruit; very ornamental.         5 to 6 ft.       Each \$4 00	36 00 45 00 57 50
м. м.	JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.         5 to 6 ft.       Each \$4 00         6 to 7 ft.       5 00         floribunda atrosanguinea.         CARMINE CRAB. Very showy; rich rose-red blossoms.         5 to 6 ft.       Each \$4 00         6 to 7 ft.       5 00         7 to 8 ft.       6 50         ioensis.         BECHTELS CRAB. Peach blush, double, sweet-scented blossoms.         4 to 5 ft.       Each \$5 00         6 to 8 ft.       12 50         8 to 10 ft.       20 00         niedzwetzkyana.         REDVEIN CRAB. Showy deep pink flowers; purplish fruit; very ornamental.         5 to 6 ft.       Each \$4 00	36 00 45 00 57 50

MA	FLOWERING APPLES—Continued	ł
	PARKMANN CRAB. Compact form, tenacious of its dark green foliage; semi-double,	
	rose-pink blossoms. 4 to 5 ft	Per 10 \$31 50 36 00
M.	scheideckeri. SCHEIDECKER CRAB, Deep rose-colored blossoms. Double.	
	5 to 6 ft.       Each \$4 00         6 to 7 ft.       5 00         7 to 8 ft.       6 50	$\begin{array}{ccc} 36 & 00 \\ 45 & 00 \\ 57 & 50 \end{array}$
M.	spectabilis. CHINESE FLOWERING CRAB. Double, deep	
	coral-red blossoms. Very showy. 4 to 5 ft	31 50 36 00
M.	sargenti.	
	SARGENT'S FLOWERING CRAB. Dwarf, spreading habit; white blooms; colored fruit. 4 to 5 ft	31 50 36 00
M.	sieboldi.  TORINGO CRAB. Small; single white or blush blossoms and small yellow fruit.	
	5 to 6 ft Each \$4 00 6 to 7 ft 5 00	$\begin{array}{ccc} 36 & 00 \\ 45 & 00 \end{array}$
M.	VAN WYCK. Upright growth. Blossoms of blush white.	04 50
	4 to 5 ft.	$\begin{array}{ccc} 31 & 50 \\ 36 & 00 \\ 45 & 00 \end{array}$
NY	'SSA sylvatica (Tupelo or Sour Gum). A medium size tree of slow growth. Desirable for its rich colored Fall foliage. 4 to 5 ft	20 00
OX	YYDENDRUM arboreum. (Sorrell Tree.)	20 00
	<b>SOURWOOD.</b> One of the most ornamental small trees; valuable in shrubberies, and in combinations used as an <i>undergrowth</i> .	
	3 to 4 ft	$\begin{array}{ccc} 20 & 00 \\ 30 & 00 \end{array}$
PE	RSICA vulgaris alba plena.  DOUBLE WHITE-FLOWERED PEACH.  Pretty in formal garden or with evergreens in border.	
	4 to 5 ft	12 00
P.	vulgaris rosea pl.  DOUBLE PINK FLOWERING PEACH 4 to 5 ft	12 00
P.	vulgaris sanguinea plena.  DOUBLE RED-FLOWERING PEACH. With very beautiful large double red flowers.	
	4 to 5 ftEach \$1 50	12 00

PLANERA japonica.											
JAPANESE WATER ELM. A rare tree.  Specimens. 14 to 18 ft. Each \$25.00 to \$50 00											
PLATANUS orientalis.  EUROPEAN PLANE TREE. This rapid-grow-											
ing, symmetrical, wide-spreading tree, is most suitable for city street planting. Attractive trunk and foliage, fine, symmetrical head. Not bothered by insect pests or smoky, dusty locations.	Per 10										
10 to 12 ft.; 1½ to 2 in. Each \$3 50 10 to 12 ft.; 2 to 2¼ in. 4 50 12 to 14 ft.; 2½ to 2½ in. 6 00 14 to 16 ft.; 2½ to 2¾ in. 7 00 14 to 16 ft.; 2¾ to 3 in. 8 50 16 to 18 ft.; 3 to 3½ in. 10 00 16 to 18 ft.; 3½ to 4 in. 15 00	\$31 50 41 50 54 00 63 00 75 00	-									
POPULUS bolleana.											
BOLLEANA POPLAR. Rapid growth—fastigiate form, olive gray bark, foliage green above, silvery underneath.											
8 to 10 ft	20 00										
10 to 12 ft	$\frac{25}{30} \frac{00}{00}$										
P. cordata.  SMALL-LEAF POPLAR of rapid growth, forming a large broad headed tree superior to the "Carolina Poplar."  10 to 12 ft	17 00 30 00	Per 100 \$150 00									
P. nigra italica.  LOMBARDY POPLAR. Tall, rapid growing.  Useful to break horizontal monotony, or grouped to screen objectionable views.											
8 to 10 ft Each \$2 00 10 to 12 ft 2 50	$\begin{array}{ccc} 12 & 50 \\ 20 & 00 \end{array}$	100 00									
12 to 14 ft 3 50	30 00	100 00									
14 to 16 ft 4 00  P. robusta.	35 00										
FALSE LOMBARDY POPLAR. Much broader habit than the Lombardy, forming broad columnar top; large foliage; rapid growth. Especially useful for screening.											
10 to 12 ft	$\begin{array}{ccc} 20 & 00 \\ 30 & 00 \end{array}$										
12 to 14 ft. 3 50 14 to 16 ft. 4 00	35 00										
PRUNUS pissardi. PURPLELEAF PLUM.											
4 to 5 ftEach \$2 50	20 00										
P. triloba.  FLOWERING PLUM. Small, regular, white-flowering tree for garden or massing against tall evergreens.											
2 to 3 ftEach \$1 00	8 00										



A WELL FRAMED VISTA AT ANDORRA HOUSE.

THE effect of a pool of still water depends largely upon its setting. The charm of this one is two-fold; because of its position as a fore-ground for a view of folding distant hills, and because of its immediate setting of mature, towering specimens of the Oriental Arborvitae, which gives one the impression of having been reflected in the quiet water almost as long as the ancient hills beyond.

## THE OAK

On account of its long life and freedom from injury by storms the Oak is generally looked upon as an extremely slow growing tree. To the contrary some varieties grow quite as fast as our other hardwood trees, notably the Pin and Red Oaks.

### QUERCUS alba.

WHITE OAK. Broad, open head; in the Fall purplish-brown leaves, on spreading branches, held through Winter.

8	to	10	ft.	 	 	 	 	 	Εε	ch	\$5	00
10	to	12	ft.	 	 	 	 	 			7	50
12	to	14	ft.	 	 	 	 	 			10	00

### Q. bicolor.

### O. coccinea.

SCARLET OAK. Symmetrical and eminently fitting as a specimen tree, taking on the most gorgeous shades of brilliant scarlet in the Fall and holding its dried leaves during the Winter.

12 to 14 ft	t.; 2¼ to	$2\frac{1}{2}$ in.	Each	\$10 00
12 to 14 ft	t.; 2½ to	$2\frac{3}{4}$ in.		15 00
14 to 16 ft	t.; 2¾ to	3 in.		$20 \ 00$
16 to 20 fr	t.; 3½ to	5 in. B.	& B. at \$15	.00 per
inch of cal	liper			

### Q. macrocarpa.

MOSSYCUP OAK. Fine habit and form. Tall with wide spreading head and massive branches; twigs of the branches are covered with a peculiar cork bark which is interesting.


8	to	10	ft.					Each	\$4	00
10	to	12	ft.;	2	to	$2\frac{1}{4}$	in.		5	00
12	to	14	ft.;	$2\frac{1}{4}$	to	$2\frac{1}{2}$	in.		6	00
14	to	16	ft.;	21/2	to	3	in.		8	<b>5</b> 0
16	to	18	ft.;	3	to	31/2	in.		15	00
16	to	18	ft.;	4	to	5	in.	\$17.50 to	35	00

### Q. palustris.

PIN OAK. Graceful, spreading. Pyramidal habit; deeply cut leaves held late into Winter. Lawn or street.

12	to	14	ft.;	2	to	$2\frac{1}{4}$	in.	Each	\$6	00
12	to	14	ft.;	$2\frac{1}{4}$	to	$2\frac{1}{2}$	in.		7	00
14	to	16	ft.;	$2\frac{1}{2}$	to	$2\frac{3}{4}$	in.		8	50
14	to	16	ft.;	23/4	to	3	in.		10	00
16	to	18	ft.;	3	to	$3\frac{1}{2}$	in.		15	00
16	to	18	ft.;	4	to	4 1/2	in.		20	00
16	to	18	ft ·	414	to	5	in	\$25.00 to	25	00

Larger Specimen Trees. Tall and spreading, from 6 to 12 inches in diameter. Prices on application.



ANDORRA HOUSE.

### A Planting for Immediate Effect

WE ARE EQUIPPED to supply shade trees thirty to forty feet in height, producing immediate effect on estates which would otherwise be shadeless and uninteresting. Such trees as Maples, Elms, Oaks, Lindens, Planes and Beech give charm and service.

### QUERCUS rubra.

RED OAK. Stately, spreading, symmetrical; leaves shining deep green: rich Fall color.

_		_									Per	10
7	to	8	ft.					Each	\$2	50	\$22	0.0
8	to	10	ft.;	$1\frac{1}{4}$	to	11/2	in.		3	00	27	00
8	to	10	ft.;	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in.		4	00	36	00
10	to	12	ft.;	$1\frac{3}{4}$	to	$^2$	in.				45	00
				$2\frac{1}{4}$					6	00	54	00
				$2\frac{1}{2}$					7	50	68	00
				1234					8	50	77	50
				3							77	50
14	to	16	ft ·	4	to	5	in	\$15.00 to	25	00		


### Specimens Nursery Grown Red Oaks

in large sizes—trees, 25 to 40 feet in height—trunks measuring up to 12 inches in diameter and with a spread of top of 20 to 30 feet. **Trees of this size make** the new place. Price on application.

#### Q. velutina.

BLACK OAK.	Tall,	open-headed,	stately.
Retains browne	d leaves	in Winter.	
16 to 18 ft.; 3	to 3½	inEacl	h \$12 50
16 to 18 ft.: 34	6 to 4	in	. 15 00

RHUS. (See also page 72.)		
R. glabra. SMOOTH SUMAC. Dwarf; open head. Brilliant crimson fruit and Fall foliage. Mass or		
border. 3 to 4 ft	Per 10 \$8 50	
R. glabra laciniata.         CUT LEAF SMOOTH SUMAC.         4 to 5 ft.	10 00 12 50	Per 1 \$75
R. typhina. STAGHORN SUMAC. Lacy, finely-cut leaf. Mass in border for brilliant Fall coloring. 3 to 4 ft	6 00 8 50	
R. typhina laciniata. CUT LEAF STAGHORN SUMAC. 3 to 4 ft	12 50	
SALIX alba.  WHITE WILLOW. Large grower, foliage ash-gray.		
8 to 10 ft	20 00	
S. babylonica.  BABYLON WEEPING WILLOW. Too familiar to need description. Appropriate for waterside planting.  7 to 8 ft Each \$2 50	20 00	
8 to 10 ft	30 00	
S. britzensis.  BRONZE WILLOW. Upright conical habit.  Bronzy yellow bark.  6 to 8 ft	15 00	
8 to 10 ftEach \$2 50	20 00	
S. caprea.  PUSSY WILLOW.  5 to 6 ft	20 00	
SASSAFRAS variifolium. COMMON SASSAFRAS. Spreading round top; valuable for screen. yellow Fall foliage. 4 to 5 ft Each \$1 50 5 to 6 ft 2 00		
SORBUS aucuparia.  EUROPEAN MOUNTAIN ASH. For border plantation, where bright scarlet berries enliven Winter landscape.  5 to 6 ft Each \$2 50		
6 to 8 ft		
ding white flowers.     5 to 6 ft.     Each \$1 50       6 to 7 ft.     2 00       7 to 8 ft.     2 50       8 to 9 ft.     3 00       9 to 10 ft.     4 00       10 to 12 ft.     5 00	16 00 20 00 24 00 32 00	



#### A SCREEN OF CEDARS.

ANDORRA SERVICE DEPT.

Per 100

SYRINGA japonica.
-------------------

JAPANESE TREE LILAC. The familiar lilac blossoms on a small tree. For enlivening screen border.

6	to	7	ft.	Each	\$4	00	\$32	00	\$250 00
7	to	8	ft.		5	00	40	00	320 00
8	to	9	ft.		7	50	60	00	400 00

#### TAXODIUM distichum.

BALD CYPRESS. Tall, thin shape; soft light green foliage against cinnamon bark. Prefers moisture.

#### TILIA euchlora.

**CRIMEAN LINDEN.** Thick, deep green, glossy foliage on bright green young growth. For avenue.

16 to 20 ft.; 4 to 5 in... Each \$20.00 to \$35 00

### T. tomentosa.

SILVER LINDEN. Leaves green above, silver beneath. Broad, shapely, pyramidal habit. Beautiful lawn specimen.

Specimens. 18 to 22 ft. Prices on application.

### T. vulgaris.

**COMMON EUROPEAN LINDEN.** Vigorous, handsome, symmetrical; rapid growing. Excellent for avenues.

10	to	12	ft.;	2	to	$2\frac{1}{2}$	in.	Each	\$7	50
12	to	14	ft.;	$2\frac{1}{2}$	to	3	in.		10	00
16	to	18	ft.:	4	to	5	in.	\$20.00 to	35	00

Specimens. 18 to 25 ft. Prices on application.



ANDORRA SERVICE DEPT.

### THE ELM

Holding a distinctive place as a street tree or stately specimen the American Elm has become more widely known than some of the other varieties; these should share with the American species its popularity as they are adapted to a wide range of soils and possess the merit of being fairly rapid growers.

#### ULMUS americana.

AMERICAN	ELM. Vase-shaped head. Pecu-						
liarly appropriate for street or lawn planting,							
giving vault	ed cathedral effect.	Per 10					
10 to 12 ft.;	1½ to 1¾ in Each \$3 50	\$31 50					
10 to 12 ft.;	; 134 to 2 in 4 50	40 00					
12 to 14 ft.;	2 to 21/4 in 5 00	45 00					
14 to 16 ft.;	2½ to 2½ in 6 00	52 00					
15 to 18 ft.;	3 to 3½ in 12 50	112 50					
15 to 18 ft.;	3½ to 4 in 15 00	135 00					
16 to 18 ft.;	4 to 4½ in 20 00						
	20 to 22 ft: 6 to 7 in Prices on a	nnlication					

### U. campestris.

**ENGLISH** ELM. Round-topped, densely branched; retaining leaves longer than American Elm. Avenue or lawn.

Specimens. 14 to 16 ft.; 3 to 4 in.

Each \$10.00 to 15 00

14 to 16 ft.; 4 to 5 in. Specimens.

Each \$20.00 to 35 00

18 to 30 ft.; 6 to 8 in. Prices on application Specimens.

#### U. campestris, wheatleyi.

WHEATLEY ELM. dark green leaves. Pyramidal head; small Stands clipping well. Avenue or formal allée. 12 to 14 ft.; 3 to 3½ in. . . . . . Each \$25 00 16 to 18 ft.; 3½ to 3¾ in. . . . . . 30 00 18 to 20 ft.; 4 to 5 in. . . \$35.00 to 50 00

#### U. glabra.

SCOTCH ELM. Broad, round-topped head with spreading branches.

14 to 16 ft.; 4 to 4½ in. ..... Each \$17 50

Specimens. 18 to 20 ft.; 6 to 8 in.

## **DECIDUOUS SHRUBS**

This List Conforms with 1923 Edition Standardized Plant Names All Prices are for Stock of Our Selection. Customer's Selection will be Charged at Value of Stock Selected

ABELIA grandiflora.		
GLOSSY ABELIA. Dwarf; glossy foliage. Flowers continuously from July till frost, arbutus-like pink. Use in masses.  12 to 18 in. field grown Each \$0 75 18 to 24 in. field grown 1 00 18 to 24 in. Extra heavy 1 50	Per 10 \$6 00 8 50 12 50	Per 100 \$50 00 75 00 100 00
ACANTHOPANAX pentaphyllum.		
BUSH ARALIA. Quick growing, for screen planting; dark green foliage held late in Fall.		
2 to 3 ft	4 00 4 50 7 50	30 00 35 00 60 00
AESCULUS parviflora.		
DWARF HORSECHESTNUT. Flowers white in July; handsome foliage. Plant in masses.           3 to 3½ ft.         Each \$2 50           3½ to 4 ft.         3 00           4 to 5 ft.         3 50           5 to 6 ft.         4 00	18 50 22 50 27 50 32 00	
AMELANGUED 11 'C'		
AMELANCHIER oblongifolia.  THICKET SHAD BUSH. White flowers in May followed by red fruit. Use among evergreens.		
3 to 4 ft	7 50	
AMORPHA fruticosa.		
INDIGOBUSH. Fine feathery foliage; dark violet flowers.		
4 to 5 ft	5 00	40 00
AMYGDALUS communis. (See also <i>Trees</i> .)  WHITE FLOWERING ALMOND. Showy white flowers in Spring. Suitable in flower		
border. 2 to 3 ft	10 00	
A. communis rosea,		
<b>PINK FLOWERING ALMOND.</b> Showy flowers; very attractive.		
2 to 3 ft Each \$1 50 4 ft 2 00	$\begin{array}{cc} 10 & 00 \\ 15 & 00 \end{array}$	į

ARALIA. (See also Acanthopanax.)

### ARONIA arbutifolia brilliantissima.

RED CHOKEBE	ERRY. Bright red berri	es en-	
hance the value	of this low border shru	ıb.	Per 10
2 to 3 ft	Each	\$0 75	\$5 00
3 to 4 ft		1 00	7 50

### A. melanocarpa.

BLACK CI	HOKEBERI	RY. Glos	sy, black fr	uit;
low growing birds.	ng; white	flowers,	attracting	the

biras.					
2 to 3 ft.	Each	\$0	75	5	00
3 to 4 ft.		1	00	6	00
4 to 5 ft.		1	50	10	00

### NATIVE AZALEAS

### Heavy Field-Grown Clumps

Small shrubs adapted for massing in shrubbery borders and naturalizing in woods. Prolific bloomers extending over a period from April to June; showy among evergreens. Under Evergreen Shrubs will be found many other varieties of great beauty.

AZALEA. (See also pages 25, 26 and 59.)

A.	arborescens.	
	SWEET AZALEA. Broad, bushy; white	
	ers in June; leaves turning bronze in Fall	i.
	15 to 18 in. clumpsEach S	\$2 50
	18 to 24 in. clumps	
	24 to 30 in. clumps	
	20 4- 20 :1	

	30 to 36	in. clumps		4 50	36 00
A.	calendula	cea (lutea).			
	FLAME	AZALEA.	Brilliant.	lemon-vellow	

and orange flowers in late May. Mass with

eve	erg	ree	ns.		·			
15	to	18	in.	clumps	Each	\$2	<b>5</b> 0	20 00
								24 00
								28 00
30	to	36	in.	clumps		4	50	36 00

### A. canadensis.

RHODOR						
growing,	covered	with	lav	ender	flowers	s in
May.						

18	in.	clumps.	Heavy	Each	\$2	50	20	00

#### A. canescens.

PIEDMONT AZALEA.	Fragrant blush flowers
in early May.	
10 to 24 in alumna	Thouh \$9 E0 90

	18 to	24 in.	clumps	Each	\$3	<b>5</b> 0	28	00
A.	kaemp	feri.						

IORCH	AZALE	A.	Foliage	brig	int g	green—	
flowers	varying	from	coral	red	to	orange	
pink.							
10 in					E a	b 65 EU	90.00

### A. vaseyi.

PINK SHELL AZAI	EA.			
15 to 18 in. clumps	Each	\$3	50	30 00
18 to 24 in. clumps	.,.,,.,.,.	4	50	40 00

AZALEA viscosa.		
SWAMP AZALEA. Fragrant white flowers in July. Ideal for damp situation.         15 to 18 in. clumps       Each \$2 50         18 to 24 in. clumps       3 00         24 to 30 in. clumps       4 00         30 to 36 in. clumps       4 50         3½ to 4 ft. clumps       5 00         4 to 5 ft. clumps       6 00	32 00 36 00 40 00	
OTHER TYPES A. mucronulata.		
MONGOLIAN AZALEA. Habit upright; large rose-color blossoms. 2 to 2½ ft		
A. poukhanensis.  KOREAN AZALEA. Bailey states "The purple lilac color of the flower is unique among Azaleas."		
1½ to 2 ft Each \$3 50 2 to 2½ ft 5 00		
BENZOIN aestivale.  SPICE BUSH. Tall, spreading; red berries.  Does well in shade or sun.		
2 to 3 ft. Each \$0 75 3 to 4 ft. 1 00 4 to 5 ft. 1 50	7 50	
BERBERIS sieboldi.  SIEBOLD BARBERRY. Handsome tall shrub; beautiful Fall effect in leaf and berry.  2 to 3 ft	3 50 4 50 6 50	Per 100 \$50 00
B. thunbergi.  THUNBERG BARBERRY. The Ideal Hedge Plant. A low spreading plant with rich green foliage turning scarlet in the Fall. Bright red berries.  For hedging set 18 to 24 in. stock 18 inches		
apart, centre to centre.  15 to 18 in. 18 to 24 in. 24 to 30 in. 30 to 36 in.  SPECIAL  Each \$0 50 75 1 00 1 50	4 50 5 00 6 00 10 00	15 00 18 00 20 00 25 00
B. vulgaris.  COMMON EUROPEAN BARBERRY. Medium height; yellow flowers followed by bright red fruit. Attractive with evergreens.		
2 to 3 ft	4 50 6 50	$\begin{array}{ccc} 25 & 00 \\ 50 & 00 \end{array}$
BUDDLEIA magnifica. OXEYE BUTTERFLY BUSH.		
2 to 3 ft	5 00	

CALLICARPA purpurea.  BEAUTYBERRY. Graceful, slender branches; small flowers in August, followed by violet berries; very showy.  2 to 3 ft		
CALYCANTHUS floridus.         SWEET SHRUB. Tall, upright shrub; thrives in sun or shade; handsome foliage.         2 to 3 ft.       Each \$0 75         3 to 4 ft.       1 00         4 to 5 ft.       1 50	Per 10 \$5 00 7 50 10 00	Per 100 \$40 00 50 00
CERCIS chinensis.  CHINESE REDBUD. Strong growing; heavily laden with pinkish purple flowers in early Spring; handsome soft green foliage.  2 to 3 ft. HeavyEach \$2 50 3 to 4 ft. Heavy	20 00 30 00	
4 to 5 ft. Heavy 4 00 5 to 6 ft. Heavy 5 00	35 00 45 00	
CHIONANTHUS virginica.  WHITE FRINGE. Large growing shrub with rich heavy foliage and lacy flowers.		
4 to 5 ft.       Each \$2 50         5 to 6 ft.       3 50         6 to 8 ft.       \$5.00 to 7 50	20 .00 28 .00	
CITRUS trifoliata.  HARDY ORANGE. Dense growing with deep green leaves and stems. Orange fruit about 1½ in. in diameter.		
2 to 3 ft Each \$1 00 3 to 4 ft	$\begin{array}{cc} 7 & 50 \\ 12 & 50 \end{array}$	
CLETHRA alnifolia.  SUMMERSWEET (PEPPER BUSH). Medium growing; white fragrant flowers in mid-Summer.		
2 to 3 ft	6 00	45 00
SWEETFERN. Most useful for undergrowth and for shady locations.	<b>5</b> 00	
15 to 18 in	5 00	
and 63.)  Strong growing shrubs attractive for their wealth of flowers, as well as abundant berries, leaf coloring in Summer and Fall, and their bright colored branches in Winter.		
C. alba.  TARTARIAN DOGWOOD. Flowers white;		
fruit blue; branches red; spreading.         2 to 3 ft.       Each \$0 50         3 to 4 ft.       60         4 to 5 ft.       75	3 50 4 00 5 00	25 00 35 00 40 00



CC	ORNUS amonum (sericea).		
	SILKY DOGWOOD. Flowers white; fruit blue; branches deep red and spreading.	Per 10	
	2 to 3 ftEach \$0 50	\$3 50	Per 100
	3 to 4 ft	4 00	\$35 00
	4 to 5 ft	$\begin{array}{ccc} 5 & 00 \\ 6 & 00 \end{array}$	40 00 45 00
_		0 00	49 00
C.	mas. CORNELIAN CHERRY. Covered with bright		
	yellow flowers in early Spring; tall, open		
	growing.		
	5 to 6 ft	10 00 15 00	85 00
	7 to 8 ft	20 00	89 00
С	paniculata.		
٥.	GRAY DOGWOOD. Upright, tall shrub;		
	flowers and fruit white on red stems.		
	2 to 3 ftEach \$0 50 3 to 4 ft	3 50 5 00	$\begin{array}{cccc} 25 & 00 \\ 40 & 00 \end{array}$
	4 to 5 ft	7 50	50 00
C	sanguinea.		
٥.	BLOODTWIG DOGWOOD. Flowers white;		
	fruit black; branches bright red and upright.		
	2 to 3 ft	4 00 7 50	60 00
_		7 50	60 00
C.	stolonifera.  RED-OSIER. Red bark; white flowers and		
	berries. Excellent for water-side planting.		
	2 to 3 ft	3 50	30 00
	4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	50 00
	1 10 1 10 10 10 10 10 10 10 10 10 10 10	7 50	60 00
C.	stolonifera flaviramea (aurea). GOLDENTWIG OSIER. Flowers white. At-		
	tractive when planted with the red twigged		
	varieties.		
	2 to 3 ftEach \$0 50	4 00	35 00
	3 to 4 ft 75	5 00	45 00

CORYLUS americana.		
AMERICAN HAZEL. Tall growing border shrub; large dark green leaves; bearing hazel nuts.  3 to 4 ft	Per 10 \$6 00 7 50 12 50	
COTONEASTER. (See also Evergreen Shrubs.)		
CYDONIA japonica.  FLOWERING QUINCE. A medium growing shrub of great value for massing, garden, or hedge planting. The Spring branches are covered with dark green, glossy foliage, and in May the plant is a blaze of color.		,
C. japonica.  1½ to 2 ft	6 00 7 50	
C. japonica candida—Cream. $1\frac{1}{2}$ to $2$ ft. $2$ 50 $2$ to $2\frac{1}{2}$ ft. $3$ 50	$\begin{array}{ccc} 20 & 00 \\ 30 & 00 \end{array}$	
DEUTZIA.  Handsome flowered shrubs of low and medium height for the garden or border. The pretty flowers may be cut for house decoration in early Summer.		
D. gracilis.  SLENDER DEUTZIA. Dwarf. White flowers cover the entire plant. For edge of shrubberies.  15 to 18 in	7 50	1
D. lemoinei.  LEMOINE DEUTZIA. Early bloomer; white flowers on upright branches.  2 to 3 ft	6 00 7 50	Per 100 \$40 00 60 00
D. scabra.  FUZZY DEUTZIA. Tall grower with doublewhite, bell-shaped flowers. Attractive foliage.		
2 to 3 ft.       Each \$0 50         3 to 4 ft.       75         4 to 5 ft.       1 00         5 to 6 ft.       1 50	3 50 4 00 5 00 7 50	30 00 35 00 40 00 50 00
D. scabra candidissima.  SNOWFLAKE DEUTZIA. Vigorous, graceful grower; double white flowers. One of the best.  3 to 4 ft	4 00 5 00	
D. scabra, Pride of Rochester.         Tall; flowers tinted with pink.         3 to 4 ft.       Each \$0 75         4 to 5 ft.       1 00         5 to 6 ft.       1 50	4 00 5 00 7 50	35 00 40 00 50 00

DELITZIAl		
DEUTZIA scabra rosea plena.  A strong grower with double flowers tinted		
rosy white.	Per 19	Per 100
3 to 4 ftEach \$0.75	\$4 00	\$35 00
4 to 5 ft 1 00	5 00	40 00
D. scabra watereri. Double pink.		
WATERER DEUTZIA.		
2 to 3 ft		30 00
3 to 4 ft	4 00 5 00	35 00
	3 00	
D. scabra wellsi. Double white flowers.		
WELLS DEUTZIA.	4 00	25 00
3 to 4 ft	$\frac{4}{5} \frac{00}{00}$	$\frac{35}{40} \frac{00}{00}$
DIERVILLA sessifolia.	0 00	10 00
SOUTHERN BUSH HONEYSUCKLE. Low,		
spreading shrub; attractive when massed on		
borders or covering slopes.		
2 to 3 ft	5 00	40 00
D. trifida.		
DWARF BUSH HONEYSUCKLE. Low		
grower. Yellow flowers in Summer.	5.00	
2 to 3 ft	7 50	
ELEAGNUS angustifolia.		
RUSSIAN OLIVE. Silvery green foliage;		
yellow flowers and fruit make this tall shrub		
desirable for borders.		
3 to 4 ft Each \$1 00 6 to 7 ft 1 50	12 50	
	12 30	
ELSCHOLTZIA stauntoni.		
MINT SHRUB. Small shrub; aromatic bright green foliage, flowers lilac-purple in Autumn.		
2 to 3 ft	4 00	
EUONYMUS alatus.	1 00	
WINGED EUONYMUS. Of Japanese char-		
acter; brilliant scarlet foliage and red berries		
in Fall; tall, handsome shrub.		
3 to 4 ft. Heavy	30 00	
4 to 5 ft. Heavy 5 00	40 00	
E. americanus.		
BROOK EUONYMUS (Burningbush).		
4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 10 & 00 \end{array}$	
	10 00	
E. europaeus.		
EUROPEAN BURNINGBUSH. Tall, erect		
shrub for border or evergreen planting; fruit bright scarlet.		
3 to 4 ft	7 50	50 00
4 to 5 ft	9 00	60 00
5 to 6 ft	10 00	
E. hamiltoniana.		
A strong grower with brilliant Autumn fruit. 2 to 3 ft Each \$1 00	8 50	
3 to 4 ft	$\frac{8}{12} \frac{50}{50}$	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		

EXOCHORDA grandiflora.		
PEARL BUSH.		
2 to 3 ft,Each \$1 00		
FORSYTHIA—Golden Bell.  Some of the first shrubs to bloom in Spring, its bell-shaped yellow flowers are always welcomed. With rich green foliage these tall graceful shrubs are particularly desirable for borders or masses, or on unsightly banks.		
F. fortunei.		
FORTUNE'S GOLDEN BELL.       Bright yellow.         3 to 4 ft.       Each \$0 75         4 to 5 ft.       1 50         5 to 6 ft.       2 00	Per 10 \$5 00 7 50 15 00	Per 100 \$40 00 50 00
F. fortunei aurea variegata.  VARIEGATED GOLDEN BELL. Attractive when massed in front of evergreens.		
4 to 5 ft. Heavy\$3 50 5 to 6 ft 2 00	$\begin{array}{ccc} 30 & 00 \\ 15 & 00 \end{array}$	
F. intermedia.		
TALL GOLDEN BELL. Bright yellow flowers.         2 to 3 ft	4 00 5 00 7 50	35 00
F. sieboldi.  SIEBOLD FORSYTHIA. Low growing slender pendulous branches. Dark foliage. Golden yellow bloom.  7 to 8 ft	15 00	
·	20 00	
F. suspensa.  WEEPING GOLDEN BELL. Golden-yellow; branches prostrate. Especially good for slopes.		
2 to 3 ft Each \$1 00 3 to 4 ft 1 25	6 00 7 50	50 00
F. viridissima.  GREENSTEM GOLDEN BELL. Deep yellow flowers; dark green leaves remaining on branches later than other varieties.		
2 to 3 ft.	4 00 5 00 6 00 10 00	35 00 40 00
GENISTA tinctoria.	10 00	00 00
WOADWAXEN. Small shrub; erect olive-green branches covered with yellow flowers in Spring.  3 to 4 ft	7 50	
HAMAMELIS virginiana. WITCH-HAZEL Tall shrub: vellow flowers	, 50	
in late Fall. For borders or in woods. 2 to 3 ft	5 00 8 50	



SELANIX CHIEF, SEPTION					
IDICOLIC		A	NDORRA	A SER	VICE DEPT
BISCUS syriacus.					
ROSE OF SHARON. One of the best 1					
of the tall "old-fashioned" shrubs. Va	lua	ble			
for its handsome flowers in mid-Summer	r. I	or			
masses or in formal situations. The star	nda:	rds			
are especially attractive. Good hedge	pla	nt.			
Ardens.	_		Per	10	
4 to 5 ft. Half standardsEach	\$1	50	\$12	50	
Boule de Feu. Red—					
3 to 4 ftEach	<b>@</b> 1	۵۵			
	φт	00			
Coelestris. Blue-	0 -	0.0	0	~ ^	
2 to 3 ftEach			8		
3 to 4 ft	1	50	12	50	
Duc de Brabant. Red—					
2 to 3 ft	\$0	75	5	00	
3 to 4 ft	1	00	8	50	
4 to 5 ft. Half standards	1	50	12	50	
Jeanne d'Arc. White-					
3 to 4 ftEach	<b>Q</b> 1	۵۵	7	50	
4 to 5 ft. Half standards			12		
	1	90	14	50	
Lady Stanley. Double. Blush-pink eye.			_		
2 to 3 ftEach				00	
3 to 4 ft			-	50	
4 to 5 ft. Half standards	1	50	12	50	
purpurea plena.					
4 to 5 ft. Half standardsEach	\$1	50	12	50	
	•				
totus albus. White single flowers.  2 to 3 ftEach	e n	75	=	00	
3 to 4 ft				50	
5 (0 4 1)	1	00	'	90	
PPOPHAEA rhamnoides.					
COMMON SEA BUCKTHORN.					Per 10
3 to 4 ftEach					
4 to 5 ft				50	
6 to 7 ft	1	50	12	50	\$85 0

66 DECIDOOUS SHRUBS		
HYDRANGEA.		
Among the best flowering shrubs, valuable for their wealth of late Summer bloom. Advantageously used in front of taller shrubs.		
H. arborescens.		
SMOOTH HYDRANGEA.	Per 10	Per 100
2 to 3 ft	\$5 00 7 50	\$40 00
H. arborescens grandiflora.		
SNOWHILL HYDRANGEA. Valuable for shady places; great clusters of white flowers in mid-Summer.		
2 to 3 ft	7 50 10 00	
	10 00	
H. paniculata.		
<b>PANICLE HYDRANGEA.</b> Strong grower, good foliage; large panicles of white flowers.		
4 to 5 ft	10 00	
5 to 6 ft	15 00	
6 to 7 ft 3 50	30 00	
H. paniculata grandiflora.		
PEEGEE HYDRANGEA. Large heads of white double flowers in late Summer, turning to brilliant reds in Fall.		
2 to 3 ft	8 50 10 00	
H. quercifolia.		
OAKLEAF HYDRANGEA.		
1½ to 2 ftEach \$1 50 2 to 3 ft2 00		
HYPERICUM aureum.		
Of stiff compact habit—good foliage, golden yellow flower in July and August. For rocky places and shade.		
2 to 3 ftEach \$1 00	6 00	
H. moseranium hybridum.		
GOLDFLOWER. Large yellow flowers on		
low graceful stem in mid-Summer. For edge of the shrub border or garden.	• • •	~~ ~~
1 year; field grownEach \$0 75	6 00	50 00
ILEX. (See also pages 10, 31 and 69.)		
ITEA virginica.		
SWEETSPIRE. Low shrub; white fragrant flowers in Summer and bright crimson foliage in Fall.		
1½ to 2 ft	10 00	

## *JAPANESE* Winterberry

ILEX SERRATA (SEIBOLDII)

OF THE many interesting introductions from Japan, this beautiful shrub stands out as preëminent for its wonderful display of bright red, holly-like berries, which quickly crowd every twig. It is of slow growth and capitally suited for planting in evergreen beds or borders, where its beauty is doubly enhanced. The berries remain until late in the winter.

	Each	Per 10
1½ to 2-foot plants	\$2 50	\$20 00
2 to 3-foot plants	3 50	30 00

# Ilex verticillata Common Winterberry

A TALL growing shrub—bearing bright red berries in the Fall. Thrives best in moist location. Excellent for border plantings with Dogwoods-Hemlocks and other shade enduring trees and shrubs.

Each	Per 10
2 to 3 feet\$1 00	\$8 50


68	DECIDUOUS SHRUBS				
L	GUSTRUM—PRIVET.  Too much cannot be said about the usefulness of Privet about the grounds, as screens, hedges and in the border. Dark green foliage, white flowers and blue black berries all add to their attractiveness. Rapid growers, they make a quick screen or good hedge.				
L.	ibota.           IBOTA PRIVET. Upright; white flowers; black berries. The hardiest of all privets.           3 to 4 ft. Heavy	Per 10 \$4 00 5 00 7 50 10 00	Per 100 \$20 00 30 00 40 00 60 00		
L.	ibota regelianum.  REGEL PRIVET. Low spreading shrub; white flowers; black berries. Suitable for borders or hedges.  2 to 3 ft	7 50 10 00			
L.	covalifolium.  CALIFORNIA PRIVET. Most universally used for hedges. Heavy, well-branched Plants.  2 to 3 ft. Extra heavyper 1,000, \$100.00 3 to 4 ft. Extra heavyper 1,000, 150.00	2 50 3 50	<b>15 0</b> 0 20 00		
L.	ovalifolium nana.  LODENSE. Dwarf; dense, compact grower. Can be used for formal pieces or sheared to a compact hedge for small gardens. 2 ft. xx Heavy	15 00			
L.	quihoui.  QUIHOUI PRIVET. Dense growth, glossy, deep green foliage; holding late in the Fall.  3 to 4 ft	15 00			
L.	vulgare.  EUROPEAN PRIVET. Tall, spreading shrub best adapted to shrubberies and naturalesque planting; white flowers, black fruit.  2 to 3 ft	4 00 5 00 6 00	50 00		
LONICERA—BUSH HONEYSUCKLE.					
L.	fragrantissima.  WINTER BUSH HONEYSUCKLE. Tall, open grower, fragrant white flowers, dark foliage till late in Fall.				

٠.	ii agi antissinia.
	WINTER BUSH HONEYSUCKLE. Tall, open
	grower, fragrant white flowers, dark foliage
	till late in Fall.

2	to	3	ft.	Each	\$0	75	4	00
3	to	4	ft.		1	00	5	00
4	to	5	ft.		1	25	6	00
5	to	6	ff	HASVV			10	

LO	NICERA maacki.		
	AMUR BUSH HONEYSUCKLE. Of upright growth, bloom white, fading to		
	yellow. Red fruit. 3 to 4 ft	Per 10 \$7 50 10 00	
	4 to 5 ft	$10 00 \\ 15 00$	
L.	morrowi.		
	MORROW BUSH HONEYSUCKLE. Medium height, drooping branches; white flow-		
	ers and red fruit remaining all Fall.  2 to 3 ft	4 00	Per 100 \$35 00
	3 to 4 ft	5 00 7 50	40 00 <b>5</b> 0 00
	5 to 6 ft	10 00	65 00
L.	ruprechtiana.  MANCHURIAN BUSH HONEYSUCKLE. Tall,		
	twiggy bush; white flowers; orange red fruit. 3 to 4 ft	4 00	35 00
	4 to 5 ft	5 00	40 00
L.	standishi.		
	STANDISH BUSH HONEYSUCKLE. Earliest of all; blush white fragrant flowers; scarlet		
	fruit, semi-evergreen. 2 to 3 ft	5 00	
	3 to 4 ft	6 00	
L.	tatarica alba.		
	WHITE TATARIAN BUSH HONEYSUCKLE. Tall; flowers white; crimson fruit.		
	3 to 4 ft	5 00 7 50	40 00 50 00
	5 to 6 ft 2 00	12 50	60 00
L.	tatarica bella albida.		
	WHITEBELL BUSH HONEYSUCKLE. Tall; flowers white; fruit red.		
	3 to 4 ft	5 00 7 50	40 00 50 00
	5 to 6 ft	12 50	60 00
L.	tatarica chrysantha. Tall; flowers yellowish; fruit cord red.		
	4 to 5 ft	7 50	50 00
	5 to 6 ft	15 00	60 00
L.	tatarica gracilis. 3 to 4 ft	5 00	40 00
	4 to 5 ft	$\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$	50 00 60 00
L.	tatarica, splendens.		
	Tall; flowers pink; fruit dark red. 3 to 4 ft	5 0 <b>0</b>	40 00
	4 to 5 ft 1 50		50 00

LYCIUM chinensis.		
CHINESE MATRIMONY VINE. Spreading. shrub, valuable for bank planting; purple		
flowers in late Summer; red fruit.	Per 10	Per 100
2 to 3 ft	<b>\$3 00</b> 5 00	\$25 00 30 00
MYRICA cerifera.		
SOUTHERN WAX MYRTLE (Bayberry). A valuable shrub for poor or sandy soils and as an undergrowth. Beautiful rich green foliage turning to purplish bronze tones in the Fall. Gray fruit in late Fall cover the stems in dense masses.		
1½ to 2 ft. Bushy B. & B Each \$2 00  PAVIA parviflora. (See Aesculus parviflora.)	17 50	
PHILADELPHUS—MOCKORANGE.		
Ornamental tall-growing shrubs of the greatest value for garden and border planting.  Large fragrant white flowers and dark green foliage.		
P. coronarius.		
SWEET MOCKORANGE. Tall, graceful shrubs; profusion of white flowers in June.		
3 to 4 ft	5 00	35 00
4 to 5 ft	7 50 8 50	40 00 60 00
P. coronarius speciosissimus.  ROUNDLEAF MOCKORANGE. Very showy flowers large, white, fragrant; tall growing.		
3 to 4 ft	4 00	35 00
4 to 5 ft	5 00 8 50	40 00 60 00
P. falconeri.  STAR MOCKORANGE. Tall; wide-spreading shrub; flowers white.		
3 to 4 ft		
P. grandiflorus.  BIG MOCKORANGE. Tall; very large white		
flowers.  2 to 3 ft	3 00	25 00
3 to 4 ft 75	4 00 5 00	35 00 40 00
4 to 5 ft.       1 00         5 to 6 ft.       1 50	8 50	60 00
P. lemoini erecta.  LEMOINE MOCKORANGE. Upright growth; pure white single flowers.		
2 to 3 ft Each \$0 75	5 00	
3 to 4 ft 1 00	7 50	
P. virginalis. Crested; double white flowers; highly fra-		
grant. 2 to 3 ftEach \$1 50	10 00	
3 to 4 ft 2 00	15 00	



NINE BARK. Quick growing, tall shrub, use-

A COURT YARD GARDEN.
PHYSOCARPUS opulifolius.

ANDORRA SERVICE DEPT.

	ful for screens; white flowers followed by			
	bright red fruit in July.		10	Per 100
	2 to 3 ft	\$4	00	\$35 00
	3 to 4 ft 75		00	40 00
	4 to 5 ft 1 50	7	50	50 00
D	1:6.1:			
г.	opulifolius aureus.			
	GOLDEN NINE BARK. Showy yellow foliage, bronze in Summer and Fall; white flowers.			
	· ·		=0	
	3 to 4 ft		50 00	
	4 to 5 ft 75	4	00	
PT	ELEA trifoliata.			
	HOP TREE. Small tree; dark green leaves;			
	showy seed pods in late Summer.	_		
	5 to 6 ft		00	
	7 to 8 ft 1 50			
RF	IAMNUS cathartica.			
	COMMON BUCKTHORN. Tall, twiggy shrub			
	excellent for hedges or border. White flowers			
	in June; black fruit.			
	2 to 3 ftEach \$0 50		<b>5</b> 0	25 00
	3 to 4 ft 75		00	35 00
	4 to 5 ft 1 00	-	00	40 00
	5 to 6 ft		50	50 00
	6 to 8 ft 1 50	8	50	<b>65</b> 00
R.	frangula.			
	GLOSSY BUCKTHORN. Tall, spreading;			
	clean dark green foliage; fruit red, turning			
	black.			
	2 to 3 ft		00	35 00
	3 to 4 ft 1 00		00	40 00
	4 to 5 ft 1 50	-	50	50 00
	5 to 6 ft 2 00	10	00	60 00

RHODOTYPUS kerrioides.		
JETBEAD. Medium height for border; single white flowers; shiny black berries. 2 to 3 ft	Per 10 \$5 00	Per 10
3 to 4 ft	6 00 10 00	50 0
RHUS. (See also page 55.)		
R. canadensis (aromatica).		
FRAGRANT SUMAC. Medium height; spreading habit. Fall foliage crimson and yellow.  2 to 3 ft	6 00	
3 to 4 ft	0 00	
R. copallina.		
SHINING SUMAC. Large shrub; shiny foliage turning crimson; scarlet fruit. Thrives in sandy soils.		
3 to 4 ft	4 00	
4 to 5 ft	5 00 7 50	
ROBINIA hispida.		
ROSE ACACIA. Strong growing shrub, compound foliage, rose colored flowers in May and June, showy in masses.		
2 to 3 ftEach \$1 00		
RUBUS odoratus.		
FLOWERING RASPBERRY. Medium height; flowers rosy purple in Summer. Excellent for shady places.		
2 to 3 ft	3 50	25 00
SAMBUCUS canadensis.		
AMERICAN ELDERBERRY. Quick growing; white flowers in flat panicles in mid-Summer followed by black fruit.		
	7 50	50 00
S. nigra aurea.		
GOLDEN EUROPEAN ELDER. Upright, with		
golden foliage. All will thrive in moist places. 2 to 3 ft	5 00	
2 to 3 ft	10 00	
SORBARIA Lindleyana.		
LINDLEY FALSE SPIRAEA. Low growing, handsome foliage. White flowers in tall spikes.		
2 to 3 ftEach \$1 00	6 00	
S. sorbifolia.		
URAL FALSE SPIRAEA. Vigorous shrub, large compound leaves; white flowers in Summer.		
2 to 3 ft Each \$1 00	6 00	

SP	IRAEA.		
Ji	A species of shrubs useful in every place—in garden, or singly and massed in border plantings. They include medium and dwarf varieties, blooming from early Spring to mid-Summer.		
S.	billardi.  BILLARD SPIRAEA. Tall grower; rose pink flowers in July and August.  3 to 4 ft	Per 10 \$7 50	
S.	bumaldi Anthony Waterer.  WATERER SPIRAEA. A medium grower; rose-pink flowers in Summer; for garden or borders.  15 to 18 in	6 00 7 50	
S.	frobelli.  FROBEL SPIRAEA. A stronger grower than "Anthony Waterer;" blooms of same color in July and August.  2 to 3 ft Each \$1 00		Per 100 \$50 00
s.	prunifolia.  BRIDAL WREATH. Tall grower; shining green foliage; white blossoms in May.  2 to 3 ft	5 00 7 50	35 00 40 00
S.	thunbergi.  THUNBERG SPIRAEA. Medium shrub; spreading branches; light green foliage; pure white flowers in earliest Spring.  2 to 3 ft		<b>50</b> 00 60 00
s.	van houttei.  VAN HOUTTE SPIRAEA. Medium height; of merit for lawn specimen or massing; white flowers in May.  2 to 3 ft	4 00 6 00	35 00 45 00
ST	APHYLEA colchica.		
	COLCHIS BLADDER NUT. Tall growing; fragrant white flowers in late Spring; attractive seed pods. 6 to 7 ft. Heavy		
ST	EPHANANDRA flexuosa.		
	CUTLEAF STEPHANANDRA. Of great value for its fine cut, lacy foliage, where daintiness is desired.  2 to 3 ft	6 50	
075	3 to 4 ft	10 00	
ST	EWARTIA pentagyma.  A handsome shrub, large, dark green foliage;		
	brilliant in Autumn; cup-shaped white blooms in mid-Summer.  2 to 2½ ft. RareEach \$5 00		
	Ψ 00		4

### STYRAX japonica. (See page 54.)

Symphoricarpos. (See page 75.)

### SYRINGA. LILAC.

SYRINGA. LILAC.		
S. chinensis (rothamagensis).         CHINESE LILAC. Slim branches, delicate foliage; flowers intense violet blue.         2 to 3 ft.       Each \$2 00         3 to 4 ft.       2 50         4 to 5 ft.       3 50         5 to 6 ft.       5 00	Per 10 \$12 50 20 00	
S. japonica.         JAPANESE TREE LILAC. The familiar lilac blossoms on a small tree. For enlivening screen border.         6 to 7 ft.       Each \$4 00 7 to 8 ft.         5 00 8 to 9 ft.       7 50		
S. villosa.  LATE LILAC. Vigorous bush; late May bloomer; light purple in bud and white when opened; fragrant.  3 to 4 ft	19 50	
3 to 4 ft	30 00	
S. vulgaris.         COMMON PURPLE LILAC. An old-fashioned favorite of well-proven worth.         2 to 3 ft.       Each \$1 00         3 to 4 ft.       1 50         5 to 6 ft. Heavy       5 00	8 50 10 00	Per 100 \$60 00 75 00
S. vulgaris, var. alba.  COMMON WHITE LILAC. Similar to type.  2 to 3 ft	12 50 15 00 30 00 40 00	
NAMED VARIETIES OF LILACS		
Mme. Abel Chatenay.         Double.         White.           2 to 2½ ft.	Per 10 \$16 50 40 00	
2 to 3 ft Each \$2 00 3 to 4 ft. Heavy 2 50 4 to 5 ft. Heavy 3 50 5 to 6 ft. Heavy 5 00	16 50 20 00 30 00 40 00	
Mme. Lemoinei.       Double.       White.         2 to 3 ft.	16 50	
Marie Legrey. Single. White. 2 to 3 ft	16 50	
Senator Volland. Double. Rosy red. 2½ to 3 ft		

# SYMPHORICARPOS

THREE attractive native plants seldom seen in masses where they can be used to best advantage. Planted as an undergrowth for evergreens or taller shrubs, the slender branches are weighed down by clusters of the white waxy berries of the Snowberry and the bright maroon berries of the Coral Berry, like strings of coral. The Snowberry is particularly adapted to garden cultivation, while the Coral Berry is at its best under wilder conditions. Cut for house decoration, they last splendidly.

# Symphoricarpos racemosus

### SNOWBERRY

Low, shade-loving plant; large white berries in fall and carried through the winter.

	Each	Per 10	Per 100
2 to 3 ft	.\$0 50	\$4 00	\$35 00
3 to 4 ft	. 75	5 00	40 00

# Symphoricarpos vulgaris

### CORAL BERRY

Dwarf shrub thriving in shade; coral-red berries persistent until late winter.

2 to 3 ft., 50 cts. each; \$4 for 10; \$35 per 100

# Symphoricarpos mollis

SPREADING SNOWBERRY 2 to 3 ft., 75 cts. each; \$5 per 10

TAMARIX.  TAMARISK odessana. Bluish-green foliage. Pink flowers in August. 3 to 4 ft	Per 10 \$7 50	
VACCINIUM corymbosum.  HIGHBUSH BLUEBERRY. Handsome pinkish-white flowers, edible blue berries; will grow in moist or dry soils.  1½ to 2 ft. clumps		
VIBURNUM acerifolium.  MAPLELEAF VIBURNUM. Dwarf, spreading by root stems; white flowers; fruit black. Useful in shade places.  2 to 3 ft	5 00	
3 to 4 ft	6 00	
waterside planting or the shrub border.         2 to 3 ft.       Each \$0 50         3 to 4 ft.       75         4 to 5 ft.       1 00	4 00 5 00 7 50	Per 100 \$35 00 40 00 69 00
V. dentatum.  ARROWWOOD. Upright. Fall growing; white flowers; black fruit; foliage richly colored in Fall.		
2 to 3 ft.	5 00 7 50 10 00 20 00	40 00 50 00 60 00
LINDEN VIBURNUM. Tall; white flowers; scarlet fruit.		
2 to 3 ft.       Each \$2 00         3 to 4 ft.       3 50         Specimens.       4 to 5 ft.       5 00         Specimens.       5 to 6 ft.       6 00	15 00 30 00	
V. lantana.  WAYFARING TREE. Tall; upright; fruit red changing to black.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 00 6 00 7 50 20 00	40 00 50 00
V. lentago. NANNYBERRY. Tall; blue-black fruit; leaves glossy dark green.		
2 to 3 ft.       Each \$0 75         3 to 4 ft.       1 00         4 to 5 ft.       Extra Heavy       1 25         Specimens.       5 to 6 ft.       Heavy       2 50         Specimens.       6 to 7 ft.       Heavy       3 50         Specimens.       7 to 8 ft.       Heavy       5 00	5 00 6 00 7 50 20 00 30 00 40 00	35 00 45 00 60 00



THE MODERN MAUSOLEUM.

ANDORRA SERVICE DEPT.

The Mausoleum of today must have not only dignity of architectural lines but planting to properly frame and soften it.

VI	BURNUM molle.			
	KENTUCKY VIBURNUM.         Medium height, upright; handsome foliage, fruit bluish-black.           3 to 4 ft.         .Each \$1 00           4 to 5 ft.         1 25           5 to 6 ft.         1 50           6 to 8 ft.         2 50	7	00	60 00
v.	epulus.  EUROPEAN CRANBERRY BUSH. Medium height, upright bush. Fruit scarlet in mid-Summer.			
	4 to 5 ft. HeavyEach \$2 00 5 to 6 ft. Heavy	$\begin{array}{c} 17 \\ 20 \end{array}$		
V.	opulus nana.  DWARF VIBURNUM. Of dense hassock shape. Very dwarf—can be easily controlled for small border hedges or edgings.			
	12 to 14 in	8	50	<b>7</b> 5 00
v.	prunifolium.  BLACK HAW. Tall, spreading; handsome foliage; fruit bluish-black.			
	2 to 3 ft. B. & BEach \$2 00 Specimens. 7 to 8 ft. B. & B 15 00			
v.	sargenti. SARGENT CRANBERRY BUSH.			
	2 to 3 ft Each \$1 00 3 to 4 ft 1 50 5 to 6 ft 3 50	$\begin{matrix} 7 \\ 10 \end{matrix}$		

VIBURNUM sieboldi		
A tall rugged grower. Heavy rich foliage;		
large heads of white bloom followed by bright red fruit in mid-Summer.	Per 10	
2 to 3 ft	\$10 00	
3 to 4 ft	20 00	
4 to 5 ft	<b>30 0</b> 0	
V. tomentosum.		
SINGLE JAPAN SNOWBALL. Medium		
height; handsome foliage; flowers white; fruit bluish-black.		Per 100
2 to 3 ft	6 00	\$50 00
3 to 4 ft. Heavy 1 00	7 50	
4 to 5 ft. Heavy 1 50	10 00	
V. tomentosum plicatum.		
DOUBLE JAPAN SNOWBALL. 3 to 4 ft	10 50	
·	12 50	
V. tomentosum rotundifolia.		
ROUND LEAF JAPAN SNOWBALL. Very handsome foliage; good blooms.		
2 to 3 ftEach \$1 50	12 50	
3 to 4 ft 2 50	20 00	
WEIGELIA (DIERVILLA).		
Old time favorites but just as popular to-day,		
giving a rich display of bloom in May and		
June.		
W. amabilis. Pink—		
2 to 3 ftEach \$0 75	5 00	
W. Eva Rathke.  Dark reddish green foliage; dark red blossoms.		
2 to 3 ftEach \$1 50	10 00	
W. florida rosea. Rose Pink— 2 to 3 ftEach \$0 75	5 00	
W. florida candidissima. White-		
3 to 4 ft	7 50	50 00
4 to 5 ft 1 50	10 00	60 00
W. ianonica, var. rubra, Red-		
W. japonica, var. rubra. Red— 2 to 3 ft	5 00	
3 to 4 ft 1 00	7 50 10 00	50 00 60 00
4 to 5 ft	10 00	60 00
W. steltzneri. Dark Red-	0.00	
2 to 3 ft	6 00 7 50	
4 to 5 ft	10 00	
W. vanhouttei. Carmine-		
2 to 3 ft	6 00	40 00
3 to 4 ft	7 50 10 00	60 00
	10 00	00 00
W. verschaffeltei. Pale Pink— 2 to 3 ft	5 00	
3 to 4 ft 1 00	7 50	
ZANTHORHIZA apiifolia.		
YELLOW ROOT. Dwarf shrub useful for		
ground cover and undergrowth. Thrives either	5 00	20 00
in sun or shade in any soil	9 00	20 00



# Vine Climbing and Trailing Plants

This List Conforms with 1923 Edition Standardized Plant Names

ACTINEDIA polygama. SILVER VINE

	5-in. pots. HeavyEach \$1 00	Per 10 \$7 50	
Ak	KEBIA quinata.  FIVE LEAF VINE. Shiny foliage; clusters of small chocolate colored, fragrant flowers.	F 00	
	4-in. pots	5 00	
AN	MPELOPSIS quinquefolia.  VIRGINIA CREEPER. Rapid growing for fences, rocky slopes and banks; Fall foliage rich crimson.		Per 100
	5-in. pots	5 00	
A.	quinquefolia engelmanni.  ENGELMANN CREEPER. Similar to previous sort, but will cling to walls.		
	5-in. pots	5 00	3º <u>C</u> 0
A.	tricuspidata veitchi.  BOSTON IVY. Strong, clinging vine of rapid growth; good Fall color. Best for walls.  4-in. pots; heavy	6 00	50 00
BI	GNONIA grandiflora.		
	CHINESE TRUMPETCREEPER. Large, brilliant orange red flowers.		
	3 to 4 ft.; field-grownEach \$0 75	5 00	
B.	radicans.		
	TRUMPETCREEPER. Strong climber with orange flowers in mid-Summer.		
	2 to 3 ft.; field-grownEach \$0 75	5 00	35 00
CE	LASTRUS scandens.		
	BITTER-SWEET. Rapid growing; orange- yellow fruit. Its rank growth makes it useful on rough banks in billowy masses.		
	3 to 4 ft.; heavy; field-grownEach \$0 75	5 00	25 00

CLEMATIS coccinea (texensis).		
SCARLET CLEMATIS. Rapid growing, cov-		-
ered in Summer with coral-red flowers.  5-in. pots	Per 10 \$7 50	
9-III. pots 91 00	φ1 50	
C.—Large Flowering.		
Henryi, white; Jackmani, purple; Duchess of		
Edinburgh, white, double; Mme. Edouard Andre, red Each \$1 00	8 50	
C. paniculata.		
<b>SWEET AUTUMN CLEMATIS.</b> Rapid-grower, handsome foliage, absolutely covered with		
white fragrant flowers in late Summer.		Per 100
5-in. pots	5 00	\$40 00
C. virginiana.		
VIRGINS BOWER Similar to last, but		
more open grower. Use for banks and walls.		
4-in. pots Each \$1 00	7 50	<b>5</b> 0 0 <b>0</b>
EUONYMUS radicans.		
WINTERCREEPER. Attractive dark green-		
leaved evergreen plants of slow-growing		
habit and very hardy; resembling English Ivy somewhat. For covering walls, house founda-		
tions, as an undergrowth in Evergreen bor- ders or for attractive edging these plants have		
few equals.		
1-year; field-grownEach \$0 50	2 50	20 00
2-year; field-grown	3 50	<b>2</b> 5 00
E. radicans variegata.		
VARIEGATED WINTERCREEPER. Similar		
to last, but leaves variegated with creamy white and pink.		
1-year; field-grownEach \$0 50	2 50	20 00
2-year; field-grown	3 50	25 00
3-year; field-grown 1 00	5 00	35 00
E. radicans carrieri. (Evergreen.)		
GLOSSY WINTERCREEPER. Large, hand-		
some, glossy, evergreen leaf; climber for buildings and walls.		
1-year; field-grownEach \$0 50	2 50	20 00
2-year; field-grown	3 50	25 00
3-year; field-grown 1 00	5 00	35 00
F		
E. radicans vegetus. (Evergreen.)  BIGLEAF WINTERCREEPER. Scarlet fruited,		
strong growing evergreen vine. Handsome		
foliage. Used as ground cover. 1-year; field-grown	2 50	20 00
2-year; field-grown	3 50	25 00
3-year; field-grown 1 00	5 00	35 00

HEDERA helix.		
ENGLISH IVY. Evergreen, strong growing, clinging vine. Use on walls or ground cover-		
ing in shade. 4-in. pots Each \$0 50	Per 10 \$3 00	Per 100 \$25 00
	ψο σο	Ψ20 00
ASMINUM nudiflorum.		
WINTER JASMINE. Yellow. 6-in. pots	7 50	
ONICERA—Honeysuckle.		
. japonica, var. Halleana.		
HALLS JAPANESE HONEYSUCKLE. Dark, glossy green foliage; fragrant flowers from July till Fall. One of the best as fragrant thick screen on lattice or porch.		
4-in. pots Each \$0 50	4 00	30 00
UERARIA thunbergiana.		
KUDZU VINE. Dark green foliage; purple flowers in July.		
5-in. pots Each \$1 00		
ITIS aestivalis.		
SUMMER GRAPE. Useful for covering rough walls, fences and trees; rapid growers; large handsome foliage. Fruit small and black.		
Field grown. HeavyEach \$1 00	7 50	
VISTERIA frutescens.		
AMERICAN WISTERIA. Strong growing climber; rapid, long runners; flowers of lilac purple.		
3 to 4 ft	20 00	
4 to 6 ft 3 50	30 00	
V. sinensis.		
CHINESE WISTERIA. Hardy climber with families of large violet-blue flowers. Trellis, porch and arbor work.		
6-in. pots	10 00	
2 to 3 ft.; field-grown	20 00	
STANDARDS. Large heads covered with violet-blue flowers; handsome foliage; for garden. Stems four feet high,		
Specimens. StandardsEach \$25 00		
V. sinensis alba.		
WHITE WISTERIA. Same as sinensis, but with white flowers.		
Heavy; field-grown; 3 to 4 ft Each \$2 00	15 00	
4 to 5 ft 2 50	20 00	
5 to 6 ft 3 50	30 00	

# ROSES

#### **CLIMBING ROSES**

\$1.00 each-\$9.00 per ten

Not less than five of a variety at the 10 rate

Dorothy Perkins, shell pink.
Dr. Van Fleet, flesh pink.
Gardenia. Bright yellow.
Lady Gay, cerise.
Madame Cochet, coral pink.
Palus Scarlet, scarlet.
Silver Moon, semi-double—pure white.

#### **EVERBLOOMING HYBRID TEA ROSES**

\$1.00 each-\$9.00 per ten

Not less than five plants of a variety at the ten rate

Carolina Testout, rose. Duchess of Wellington, rose-madder. Frau Karl Druski, white. General McArthur, bright crimson. George C. Wand, vermillion. Hadley, rich crimson-scarlet. Jonkheer J. L. Mock, deep imperial pink. Kaiserine Augusta Victoria, pearly-white. Lady Alice Stanley, coral rose. Laurent Carle, brilliant carmine. Los Angeles, flame pink, coral shading. Madame Cochet, pink. Madame Cochet, white. Madame Edouard Herriot, coral red. Madame Leon Paine, silvery salmon, orange yellow shadings. Mary, Countess of Ilchester, crimson. Mrs. Aaron Ward, Indian yellow. Ophelia, salmon pink. Radiance, carmine-pink. Red Radiance, cerise-red.

# THE TRAILING ROSE WICHURIANA. Its spreading branches form a carpet on slope or bank and form a background of shining

green to the delicate white blossoms.		
Rosa Wichuriana. White. 2-year-old; in 5-in. potsEach \$0 75	Per 10 \$6 00	Per 100 \$50 00
BUSH ROSES. In height from two to four feet, these roses find their place on the front of the shrub border where their blossoms in Sum-		

Winter add a pleasing note of color.		
cherokee. Single WhiteEach	\$1 00	8 50
Persian Yellow Briar	1 00	<b>7</b> 50
rugosa. 2 to 2½ ft	1 00	7 50
rugosa alba. White. 2 to 3 ft	1 00	<b>7 5</b> 0
setigera. Prairie Rose. 2 to 3 ft	75	5 00

mer and scarlet fruit and bright twigs in



ANDORRA SERVICE DEPT.

# HARDY HERBACEOUS PERENNIALS

This List Conforms with 1923 Edition Standardized Plant Names

N. 3. Quantities of 5 and 50 OF A VARIETY will be furnished at the 10 and 100 rates, respectively.

Less than five plants of one sort are sold at the ten-rate, plus 50%.

HERE is a strong appeal in the gardens of old farm-house and cottage, with the glowing yellow and orange Day-lilies, bright flowered Phlox and Peonies, and their show of hardy Chrysanthemums; a demonstration of the ease with which these plants are grown and the little care they require when one thinks how little time the busy country housewife can spend in gardening. The old-fashioned perennials have been enriched with many improved varieties and species, and every corner of the grounds can be kept bright throughout the whole growing season; the tall growing varieties can be effectively planted in the shrubberies, their flowers showing

against the background of evergreen or shrub, and the lower sorts blending the edge of shrubbery and lawn in naturalesque borders, or the wood edge made gay with some of the Asters, Foxgloves, Ferns and many others.

Of flowering plants, two things are demanded—Varieties which will brighten our lawns and gardens, and which can be cut for house decoration—these hardy herbaceous plants reward us bounteously in both requirements. The height, color and flowering season of each variety are given in the following list.

ACHILLEA millefolium roseum, var. Cerise Queen.		<b>D</b> 105
June to September. Amaranth-red. 1½ ft	$\begin{array}{ccc} { m Per} & { m 10} \\ { m \$2} & { m 50} \end{array}$	Per 100 \$12 00
A. ptarmica (Sneezewort). All Summer. White. 2 ft	2 50	12 00
ACONITUM Fischeri (Azure Monkshood). September. Blue. 3 to 4 ft	3 50	25 00
AJUGA Genevensis (Geneva Bugle). May. Bright blue. 6 in.	2 50	15 00
ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft	2 50	15 00
ALYSSUM saxatile compactum. (Goldentuft.) May and June. Yellow. 1 ft	2 50	12 00
ANCHUSA Italica, var. Dropmore (Bugloss). New. May and June. Blue. 3 to 4 ft	3 50	20 00
A. capensis. (Cape Forget-me-not.) Blue	<b>2</b> 50	15 00
ANEMONE Hupehensis. All summer. Mauve-rose. 1½ to 2 ft	3 00	18 00
A. japonica alba. Wind flower. 2 to 3 ft	3 50	18 00
A. japonica rosea. Wind flower. 2 to 3 ft	3 50	18 00
A. whirlwind. Double Wind flower. 2 to 3 ft. (from pots).	2 50	18 00
ANTHEMIS tinctoria (Chamomile). June to September. Golden Yellow. 2 ft	2 50	15 00
AQUILEGIA californica. Yellow and Orange. Long spurs	2 50	
A. canadensis (native columbine). Red and yellow. 2 ft	2 50	15 00
A. chrysantha. May to August. Golden yellow.	<b>2 5</b> 0	15 00
A. coerulea. Blue. 1½ to 2 ft	2 50	<b>15 0</b> 0
A. Mrs. Scott Smith's Long-spurred Hybrids	3 50	20 00
A. Silver Queen, Long-spurred	3 50	



# AQUILEGIA

### LONG-SPURRED COLUMBINE

THE wealth of the various colors of this Columbine can only be appreciated by seeing them in bloom, but we have endeavored to give an idea of their loveliness. The Long-spurred Hybrids with their many colors flower in June. They can be used as garden plants, but rich effects can be procured by naturalizing them in masses.

Aquilegia, Mrs. Scott Smith's Long-spurred Hybrids. May to August. In a wide range of mixed colors. \$3.50 for 10, \$20 per 100.

ARABIS alpina (Rock Cress). April and May. White. 4 in.	Per 10 \$2 50	Per 100 \$15 00
ARMERIA formosa. Summer. Rosy pink, 9 inches	2 50	
A. maritima, var. splendens. Thrift. Summer. Rose. 9 in.	2 50	<b>15 0</b> 0
ASTER alpinus. Purple. June, July. 9 in	2 50	15 00
A. amethystinus. September and October. 3 to 4 ft	2 50	15 00
A. Madonna. White. September and October. 3 to 4 ft.	2 50	15 00
A. novæ angliæ. September and October. Purple. 4 ft.	2 50	15 00
A. novæ angliæ rubra. October. Red. 3 ft	2 50	
A. Robt. Parker. Lavender. September and October. 3 to 4 ft	2 50	15 00
A. Snowflake. White. 18 in	2 50	
A. tataricus. October and November. Purple. 5 ft.	3 50	18 00
AUBRETIA. (Rainbow Rock Grass.) Spring and early Summer. Mixed bright colors	2 50	15 00
BAPTISA australis. Falseindigo. June and July. Dark Blue. 2 ft	2 50	15 00
BELLIS perennis. The Bride. June. Double White. 6 in.	2 50	15 00
B. perennis Longfellow. June. Double Pink. 6 in.	2 50	15 00
BETONICA. (See Stachys.)		
BOLTONIA asterioides (False Chamomile). August and September. White. 4 ft	2 50	15 00
B. latisquama. August and September. Lilac	2 50	15 00
CAMPANULA carpathica. Blue. June to September	2 50	15 00
C. carpathica alba	2 50	15 00
C. glomerata (Danesblood). August. 1 to 2 ft	2 50	15 00
C. media calycanthema. Blue, white, pink. 18 in	2 50	
C. pyramidalis. Blue	2 50	
C. trachelium. Deep purple. 2 to 3 ft	2 50	15 00
CENTAUREA montana (Mountain Bluett). June and July. Dark purple. 1½ ft	2 50	15 00
CERASTIUM tomentosum. June and July. White. 6 in	2 50	15 00
October and November. Blue. 6 in	2 50	15 00

CHELONE Lyoni (Turtlehead). August and September. Rose purple. 2 ft	Per 10 \$3 50	Per 100 \$20 00
CHRYSANTHEMUMS. Hardy varieties. Special list—page 93.		
CHRYSANTHEMUM leucanthemum hybridum (Shasta Daisies). Alaska, Westralia, Cali-		
fornia. All Summer. White. 2 ft	2 50	15 00
CLEMATIS crispa (Curly Clematis). June to September. Lavender. 3 to 4 ft	3 50	20 00
CONVALLARIA majalis (Lily-of-the-Valley). May and June. White. 6 to 9 in	3 50	25 00
COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft	2 50	15 00
DELPHINIUM belladonna. June. Blue. 2 to 3 ft.	2 50	15 00
D. bellamosum. Dark Blue	2 50	15 00
D. formosium. June. Deep blue. 3 to 4 ft	2 50	
D. chinense (Larkspur). July to September.		
Blue. 1½ ft	2 50	15 00
D. chinensis. White	2 50	15 00
D. Gold Medal Hybrids	2 50	15 00
DIANTHUS barbatus (Sweet William). May and June. Mixed colors. 1½ ft	2 50	15 00
D. barbatus (Newport Pink).	2 50	15 00
D. barbatus (Deep Maroon)	2 50	15 00
D. barbatus (Scarlet Beauty)	2 50	15 00
D. deltoides (Maiden Pink). June and July. Pink. Creeping	2 50	15 00
D. plumaris (Hardy Pink). Mixed colors	2 50	18 00
D. plumaris (Hardy Time). Prizod (Golds	2 50	10 00
DICENTRA spectabilis (Bleeding Heart). 1 year.	5 00	
DIGITALIS purpurea (Common Foxglove). June	2 50	15 00
and July. Mixed colors. 4 to 5 ft	2 50	19 00
D. purpurea rosea	2 50	15 00
D. purpurea. White D. Shirley. White to rose	3 50	20 00
D. purpurea. White	2 50	15 00
D. purpurea. White	2 00	10 00
EUPATORIUM ageratoides. White. 3 to 4 ft	3 50	18 00
E. coelestinum. Blue. 1½ to 2 ft	2 50	18 00
EUPHORBIA corollata (Spurge)	2 50	<b>15 0</b> 0
FUNKIA subcordata, var. grandiflora. September. White. Fragrant. 2 ft	5 00	
F. nana alba	2 50	
F. undulata, var. media picta variegata. July and		
August, bilac. 1 ft	2 50	

GAILLARDIA grandiflora (Blanket Flower). June to November. Yellow and red. 6 in	Per 10 \$3 50	Per 100 \$15 00
GERANIUM sanguineum (Cranesbill). June to September. Red. 1½ ft	3 50	<b>1</b> 5 00
GEUM atrococcineum fl. pl. Scarlet. June and July. 1½ ft	3 50	
G. Lady Strathdew. Yellow	3 50	20 00
GYPSOPHILLA paniculata. Baby's Breath	2 50	15 00
G. paniculata. Double	3 50	20 00
G. repens rosea. Pink	2 50	15 00
HELENIUM autumnali rubrum. August and September. Bright terra-cotta red. 3 to 4 ft	2 50	15 00
H. Riverton Gem. August and September. Deep yellow to red. 3½ ft	2 50	<b>15</b> 00
H. superbum. September. Yellow. 4 ft	2 50	<b>15</b> 00
HELIANTHEMUM mutabile (Sun Rose). June. Low-growing. 6 in	2 50	
HELIANTHUS maximilians. September. Deep yellow. 6 to 8 ft	2 50	15 00
H. mollis. September and October. Golden yellow. 4 ft.	2 50	15 00
H. scaberrimus. Woolly Dodd. September. Deep yellow. 3 ft	2 50	15 00
HELIOPSIS pitcheriana. Yellow. July and August. 3 ft	2 50	<b>1</b> 5 0 <b>0</b>
HEMEROCALLIS Dumortieri (Yellow Day Lily). June and July. Orange-yellow. 2 ft	2 50	15 00
H. flava. June. Yellow. 2 ft	2 50	
H. Florham. June-September. Yellow	2 50	
H. fulva. June-July. Orange. 3 to 4 ft	2 50	15 00
H. fulva kwanso (Double Orange Lily). July and August. Coppery yellow. 2½ ft	2 50	15 00
H. fulva thunbergi. August and September. Lemon-yellow. 2½ ft.		
	2 50	15 00
HEUCHERA sanguinea (Alum Root). July. Coral red. 18 in.	3 50	<b>15</b> 00
HIBISCUS moscheutos. Mixed colors. 4 to 5 ft	2 50	
HOLLYHOCKS. (See Althaea rosea.)		
IBERIS sempervirens (Candytuft). April and May. White. 6 in	2 50	<b>1</b> 5 00
IRIS. Special lists—pages 94 and 95.		
KNIPHOFIA Pfitzeri (Flame Flower). July to October. Orange-scarlet. 3 to 4 ft	3 50	20 00

TIBROTOBOOD I BROWNING		
LATHYRUS latifolius (Climbing Hardy Pea)	Per 10 \$2 50	
LAVENDULA vera (Lavender)	3 50	Per 100 \$20 00
LIATRIS spicata. (Spike Gayfeather.) August. Deep purple. 3 to 4 ft	<b>2</b> 50	
LINUM perenne (Flax). Blue. All Summer. 18 in	2 50	15 00
LYCHNIS chalcedonica (Maltese Cross). July to September. Vermilion. 2 to 3 ft	2 50	15 00
L. coronaria (Rose Campion). June and July. Crimson, 1½ to 2 ft	3 50	15 00
L. viscaria, var. splendens. June and July. Pink.	3 50	<b>15</b> 00
LYTHRUM roseum. Pink. July	2 50	15 00
MONARDA didyma (Oswego Beebalm). July and August. Scarlet. 2½ ft	2 50	<b>15</b> 00
MYOSOTIS scorpioides (Forget-me-not). May and June. Light blue. Spreading	2 50	15 00
OENOTHERA missouriensis (Ozark Sundrops). June and July. Yellow 1 ft	2 50	15 00
PACHYSANDRA terminalis (Japanese Spurge). Evergreen. May and June. White.		
Field grown\$75.00 per 1000;	1 50	10 00
PAPAVER bractatum. May and June	2 50	90.00
P. orientalis (Poppy). From pots	5 00 3 <b>5</b> 0	20 00 20 00
P. nudicaule (Iceland Poppy). Scarlet, White	0 00	20 00
Yellow	2 50	15 00
PENTSTEMON barbatus (Beard-tongue). July. Scarlet. 2 to 3 ft	2 50	<b>15 0</b> 0
P. torreyi. Brilliant scarlet. 3 to 4 ft	2 50	15 00
PEONIES. Special list—pages 96 and 97.		
PHLOX paniculata. Special list—page 98.		
P. amæna. May. Bright pink. 3 to 4 in	2 50	<b>15 0</b> 0
P. divaricata (Wild Sweet William). May and June. Lavender. 1 ft	2 50	<b>15</b> 00
P. subulata rosea (Mountain Pink). May and June. Rose. Creeping	2 50	15 00
P. subulata, var. alba. May and June. White.	2 50	15 00
P. subulata, var. atropurpurea. May and June. Purple. Creeping	2 50	<b>15</b> 00
P. subulata, var. lilacina. May. Lilac. Creeping.	2 50	
PHYSOSTEGIA grandiflora. Mid-summer. Mauve. 1½ to 2 ft	2 50	15 00
P. virginiana (False Dragonhead). August. Deep rose. 3 ft	2 50	15 00
P. virginiana, var. alba. August. White. 3 ft	2 50	10 00

PLATYCODON grandiflorum (Balloon Flower) July to October. Blue	Per 10 \$2 50	
P. grandiflorum album. White	2 50	
PLUMBAGO. (See Ceratostigma.)		
POLYMONIUM cœruleum (Jacobs Ladder). Blue. May and June	2 50	Per 100 \$15 00
PRIMULA vulgaris. Primrose. May and June	2 50	15 00
P. veris Invincible. May. Yellow. 1 ft	2 50	15 00
PYRETHRUM hybridum pl. (Feverfew). June and July. White, Pink, Red. 1½ to 2 ft	2 50	18 00
P. roseum. Mixed colors. 1½ to 2 ft. June	2 50	15 00
RUDBECKIA laciniata. July to September. Yellow. 8 ft	2 50	15 00
R. Newmani. August and September. Yellow. 1½ ft.	2 50	15 00
R. purpurea (Purple Cone Flower). July to October. 3 ft.	2 50	15 00
SALVIA Pitcheri. August and September. Rich gentian blue. 3 to 4 ft	3 50	20 00
SAPONARIA ocymoides. May to August. Rose. 8 in	2 50	15 00
SCABIOSA japonica. July to September. Lavender. 2 ft.	2 50	18 00
SEDUM album (Stonecrop). White. 6 in	2 50	15 00
S. acre (Golden Moss). May and June. Yellow. Spreading	2 50	15 00
S. sieboldi. August and September. Pink. 6 to 8 in.	2 50	15 00
S. spectabile (Brilliant Stonecrop). September and October. Rose. 12 to 15 in	2 50	20 00
S. spectabilis var. brilliant. Amaranth-red	2 50	20 00
S. telephoides. July and August. Pink. 1 ft	2 50	
SEMPERVIVUM. For the Rockery or Wall garden it is one of the most effective plants that can be used. Our offering is unusual as to varieties. Potted Plants in varieties: arachinoides, fimbriatum, glaucum, globiferm, gnaph-		
linum graucum, grobiterm, gnapn-	3 50	25 00
SPIRAEA aruncus (Aruncus Sylvester) (Goat's Beard). June and July. White. 4 to 5 ft	3 50	18 00
S. filipendula. July, White, 1½ ft	3 50	18 00
S. ulmaria fl. pl. June and July. White. 3 ft	3 50	<b>18 0</b> 0
STACHYS lanata. July. Pink. 1 ft	2 50	15 00
S. officinalis (Betonica rosea). July and August. Rose. 2 ft	2 50	



STOKESIA laevis (cyanea) (Stokesia). July to October. Lavender. 1½ ft	Per 10 \$2 50	Per 100 \$15 <b>0</b> 0
S. Iaevis alba.	2 50	15 00
THALICTRUM aquilegifolia (Meadow rue). White. June to July. 3 ft	2 50	<b>15 0</b> 0
THYMUS montanus coccinea. May. Bright red	2 50	15 00
TRADESCANTIA virginiana (Spiderwort). June to October. Purple. 2 ft	2 50	15 00
TRILLIUM grandiflorum. (Wake-Robin). White. Early, 1 ft	1 50	10 00
TUNICA saxifraga (Tunica Flowers). All summer Light Pink.	2 50	15 00
VERONICA longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft	2 50	15 00
V. repens. Light blue; for rock work	2 50	18 00
V. rupestris (Rock Speedwell). June and July. Blue. Spreading	2 50	18 00
V. spicata. June to September. Bright blue. 1½ ft	2 50	18 00
V. spicata rosea. Delicate pink	2 50	18 00
$V_{\bullet}$ virginica. August to September. White. 4 ft.	2 50	15 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	2 50	15 00



### HARDY FERNS

50c each; \$3.50 per 10; \$25.00 per 100

- ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions.
- ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.
- A. Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
- A. Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
- A. marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
- ASPLENIUM Filix-formina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.
- BOTRYCHIUM virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.
- DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.
- ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.
- Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils.
- OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.
- O. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils.
- O. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.
- O. Regalis (Royal Fern). Wet positions. Sun or shade. 2 to 3 ft. PHEGOPTERIS hexagonoptera. For shade. 1 ft.
- POLYPODIUM vulgare (Polybody). For rock work. 4 to 10 in. WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.
- WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.



FLOWER GARDEN-ALDEN PARK MANOR.

EVERCREENS within a garden. They make a delightful background for the rich coloring in the flower borders. The enclosing hedge is of Hemlock; the beds are edged with Box, and Specimen Box Bush mark important corners. The pool is bordered with Prostrate Junipers (J. sabina tamariscifolia).

### HARDY CHRYSANTHEMUMS

When frost has browned the other flowers of the garden, these hardy plants burst forth in a profusion of bloom, in colors which seem to catch the most delicate tints and shades of bronzing leaf and gorgeous Autumn sunset, while some foretell the purest white of coming snow, and pink of purpling shadows.

Planted in the hardy garden, border or lawn at edge of shrubbery, they will yield a wealth of bright flowers in late Autumn, and fill the house with cut flowers.

#### 35c each; \$2.50 per 10; \$15.00 per 100

Adele No. 28-Deep bronze. Allentown No. 253-Bronze yellow. Blushing Bride No. 257-Clear pink. Bright Bessie No. 33-Yellow. Dupont D. Levue No. 166-Orange. Fiberta No. 170—Canary yellow. Genevieve Lonas No. 35-Pink. Globe d'Or No. 175-Canary yellow. Harry Hicks No. 179-Soft pink. Inga No. 3-Dark red. Jessie Patterson No. 38-Rose. King Philip No. 256-Rose pink. Old Homestead-Deep pink. Regulus No. 226-Cinnamon. Rose Allanson No. 20-White shading to rose. Santiago-Bronze. Wm. Sabey No. 240-Canary yellow.

W. M. Westlake No. 241-Golden yellow; reddish tint.

IRIS



A Very Satisfactory Way to Utilize an Old Pond Bed or Bog

#### JAPANESE IRIS (Iris kaempferi)

### 50c each; \$4.00 per 10 OF ONE VARIETY \$35.00 per 100 in not less than 10 of a Variety

Of all the Iris family none equal the Japanese. The large blooms, carried well above the foliage, are gorgeous in their coloring, which ranges from purest white to deep purples, indigo blues and mahogany red, between which there is a wonderful array of tints and mottlings. To see our collection a visit to Andorra in June is worth while; or, better, buy a full set.

Dinah No. 13. Purple flaked with white.

Mahogany No. 26. Deep, velvety, mahogany red.

Oriole No. 32. Purple amaranth.

Princess Clothilde No. 36. Ash gray blushed with purple.

Pyramid No. 38. Deep violet-purple veined with white.

Robert Craig No. 41. French gray, base of petals tinted with violet.

Shadow No. 42. Deep blue shading to indigo.

Victor No. 49. Porcelain veined with blue.

Zenobia No. 52. Light ground suffused with reddish purple.

95

IRIS SPECIES OF MERIT		
	Per 10	Per 100
IRIS atroviolacea. May. Dark violet. 2 to 2½ ft.	\$2 50	\$20 00
I. cristata. April and May. Light blue. 6 in	2 50	15 00
I. pallida (dalmatica), June. Light blue. 3 ft	3 50	
I. pallida (speciosa). June. Indigo-blue. 3 ft	3 50	
I. pseudacorus. June. Yellow. 2 to 3 ft	2 50	20 00
I. siberica. May and June. Bright blue. 11/2 ft.	2 50	15 00
I. siberica alba. May and June. White. 11/2 ft	3 50	20 00
I. siberica, var. orientalis. May. Deep blue. 1½ ft.	2 50	15 00
I. siberica, var. sanguinea. May. Red. 1½ ft	2 50	15 00
I. siberica. Snow Queen. May. White. 11/2 ft.	2 50	15 00

### FLEUR-DE-LYS OR HYBRID FLAG (Iris Germanica)

# 35c each; \$2.50 per 10 of one variety; \$15.00 per 100 in not less than 10 of a variety

- Bossuet No. 265. Tall; standard petals, purplish bronze; fall petals, purple.
- Cengalti No. 251. Standard petals light blue, veined with dark blue; fall petals veined and purple tinted.
- Clarissima No. 266. Standard petals pale yellow; fall petals deep purplish maroon.
- Cordelia No. 252. Standard petals pale blue; fall petals rosy pink.
- Delicata No. 267. Tall; standards yellow tinted; falls dashed with purple.
- Edina No. 253. Clear satin blue, marked with dark blue.
- Eytheria No. 254. Tall; a very light purple tinted variety, veined with purple; very delicate.
- Gazelle No. 256. Standard petals white, heavily frilled with clear blue; fall petals white, edged blue.
- Hortense No. 257. Tall; light yellow, tinted with brown veins. One of the lightest varieties.
- La Tristesse No. 271. Standard petals dull yellow bronze; fall petals veined with maroon, dashed with purple.
- Lohengrin. Cattleya-rose.
- Mad. Chereau No. 256. White frilled with clear blue.
- Mexicana No. 274. Dwarf. Standards yellow; falls purple veined.
- Penelope No. 260. Light bluish white, veined with violet; a striking and distinct variety.
- Queen of May No. 261. Standard petals rosy lilac, veined with yellow. Tall. Distinct.
- Rolandiana No. 275. Standard petals blue; fall petals reddishpurple.
- Walneriana No. 277. Standard petals deep lavender blue; fall petals clear bright blue.



Rich in Form and Color, the Peony is a Fine Cut Flower

### PAEONIA—PEONIES

Rich in an infinite variety of color, from white through tints of pink and rose to darkest crimson, these hardy plants grace garden, bed or border with gorgeous bloom in May or June, and their fragrant flowers are most decorative when cut for the house or porch. Whether against a background of evergreens or shrub border, or in the garden, they yield a rich return in blossoms. They are best transplanted in August or September, but may be moved in very early Spring, and should be planted about two feet apart in good ordinary garden soil.

We are making some changes in our extensive plantations of

We are making some changes in our extensive plantations of peonies, and can offer strong plants from some of the best varieties, in assortment, for Fall planting, at exceptional values.

### SPECIAL

Our Assortment of Mixed Varieties \$4.00 per 10 plants; \$25.00 per 100 plants

### DOUBLE PEONIES

	Each	Per 10
Adlae Adamson. No. 352. Flesh rose	\$0 75	\$5 00
Ambrose Verschaffelt. No. 325. Purple-crimson,		
very full flagrant flower	1 00	7 50
Comte de Diesbach. No. 464. Purplish-crimson	75	
Duchesse de Nemours. No. 458. Very fine cup- shaped bloom, sulphur-white with greenish re- flex fading to pure white. Exceptionally pretty in the bud. Late and one of the best of the		
white sorts	1 50	10 00

Duke of Wellington, Sulphur-white	Each \$0 75	Per 10 \$5 00
Festiva Maxima. Paper-white, crimson flaked	75	5 00
Gloire de Douai. No. 456. Purplish scarlet	75	
Lady Bramwell. No. 305. Silvery rose, good size and substance, prolific bloom	75	
Louis Van Houtte. No. 516 (Calot). Bright purple-cherry, large, globular, full, fragrant-superb, late	75	
Mad. Ducel. No. 328. Salmon rose; dwarf; early.	1 00	7 50
Mme. Bollet. No. 312. Flesh rose with white reflex	1 50	10 00
Mme. Chaumy. No. 329. Satiny rose, center flesh	75	6 00
Mad. Courante. No. 316. Rich flesh color	1 00	7 50
Mme. Coste. No. 348. Guard petals soft pink; tufted center, tinted glossy sulphur-white. Extra	1 50	10 00
Mme. Lebon. No. 331. Bright cherry-red with satiny tint, enormous flower	75 °	5 00
Mme. Vilmorin. No. 343. Guard petals blush, center peach blush flaked with crimson	75	
Marie Houillon. No. 324. Light satiny rose	75	5 00
Modeste Guerin. No. 332. Cherry rose, large full globulous flower sweet	75	5 00
Rubra Triumphans. No. 484. Dark purplish crimson. Semi double-mixed	75	
Saturnalia. No. 323. Lilac rose, silvery tinted	75	5 00
Sidonie. No. 327. Lilac-rose, shading darker to center	75	5 00
Sosthenes. No. 356. Light rose	75	5 00
Surpasse Pottsi. No. 357. Purplish crimson	75	5 00
Tricolor-grandiflora. No. 386. Salmon pink. Late	75	5 00

### SINGLE PEONIES

The single varieties have been much neglected in favor of the double sorts, but they are quite as showy, especially for massing in the shrubbery borders, holding their blooms well above the foliage, giving flowers of delicate texture and color.

	Each	Per 10
Comus. No. 401. Light purple	<b>\$0</b> 75	<b>\$5 0</b> 0
Eclat. No. 400. Purple. Wide petals	75	5 00
Josephine. No. 397. Bright rose	75	5 00
Lucrinus. No. 395. Rich crimson. Tall grower	75	5 00
Mardonius. Bright crimson. Dwarf grower	75	5 00
Medusa. No. 432. Rosy lilac	75	5 00

### **PHLOX**

### PHLOX PANICULATA—HYBRID PERENNIAL PHLOX

A succession of flowers of greatest beauty from early July until frost, in softest tones of pink and rose, salmon, mauve and silvery white in great panicled blooms, will brighten the hardy border of mixed varieties of Phlox. Easy of culture, and perfectly hardy, the plants can be used at the edge of shrub border or in the garden, spaced about eighteen inches apart.

### Assortment in Mixed Colors of Our Selection \$10.00 per 100

#### THE FOLLOWING CHOICE VARIETIES

35c each; \$2.00 per 10 of a variety; \$15.00 per 100, not less than
10 of a variety at the 10 rate

Anna Cook. Soft lilac pink.

Beacon. Cherry red.

B. Comte. No. 142. Intense purple-crimson. 35c. each;

Caran d'Ache. No. 109. Dwarf, early. Rosy-crimson.

Champs-Elysees. No. 110. Intense rich purple-crimson.

Eclaireur. No. 114. Tall, early. Crimson-purple, rosy-white centre.

Elizabeth Campbell. Salmon-pink, light shadings, dark eye.

F. G. Vonlassburg. No. 147. White.

Frau. Buchner. Dwarf. Pure white.

General Chanzy. No. 117. Very bright dark salmon.

Henri Murger. No. 119. Large, pure white; large carmine centre; very fine.

Independence. No. 120. White.

La Fue de Monde. No. 127. Flame color.

Miss Lingard. No. 149. Tall, early; fine, free flowering, white.

Mrs. Wm. Jenkins. White.

Ornament. No. 134. Early. Clear rose.

Pantheon. No. 135. Rose.

Phlox. See also page 89.

Prof. Virchow. Carmine, overlaid with orange-scarlet.

R. P. Struthers. Bright, rosy-carmine, claret-red eye.

Widar. Reddish-violet. White centre.

# **INSECTICIDES**

All prices are subject to change without notice.

# Sunoco Spray Oil

A heavy oil which readily gives a permanent and uniform emulsion when mixed with water. For all scale insects, mealy bugs, woolly aphids, mix at strength of one part oil to twenty parts of water (1 qt. to 5 gallons). This also kills the eggs and prevents Summer infestations of red spider, aphids and many other insects. January, February and March are favorable months for this treatment, but the late Fall, just after the leaves drop, is just as good. It is also used as a Summer spray and as a spreader for Bordeaux, lead arsenate or nicotine sulphate. Do not use with lime sulphur.

PRICES:	½ gallon cans	
	1 gallon cans	
	5 gallon cans	
	15 gallon drums	gallon
	30 gallon drums	gallon
	50 gallon drums	gallon

CALCIUM CASEINATE (Red Diamond). A powder. Not in itself an insecticide. Its peculiar properties cause a better adhesion and a uniform coating of the poison sprays to the foliage, fruit or bark, effecting an economy by giving better coverage and keeping the poison on the parts of the plant when it would otherwise be weathered off. 1½ lbs, are sufficient for 200 gallons (or one table-spoonful to 5 gallons) of spray material such as lead arsenate, lime sulphur, nicotine sulphate, etc. It is a vital ingredient of dry mixed sulphur and lime.

SPECIAL PRICES:	10 lb.	sacks@	\$ .50
	50 lb.	sacks@	2.50

**LEAD ARSENATE.** A powder. An internal poison for destruction of leaf-chewing insects and fruit feeders, such as codling moth, curculio, bag worms, walnut caterpillars, tent caterpillars, tussock moth, potato bugs and many others. Use 2 to 3 lbs. per fifty gallons of water.

PRICES:	4	lb.	bags@	\$1.50
	48	lb.	cartons@	14.00

BORDEAUX-LEAD ARSENATE combination. A powder. The insecticidal and fungicidal properties of these two materials, as previously described, are brought together in this useful combination. Use 3 to 6 lbs. to 50 gallons of water.

PRICE: 5 lbs	PRICE:		
--------------	--------	--	--

PARADICHLOROBENZENE (P. T. B.). Small crystals. Apply these about base of trees for control of borers in peach and cherry (not apple). Use from ½ to 1 ounce per tree. It may be used with perfect safety on very young (2-year-old trees) if raked from about trunk at end of three weeks. Directions on cans.

PRICES:	5 lbs.		\$1.75
	10 lbs.	@	3.50
	50 lbs.	·····	14.50
	100 lbs.		28.00

NICOTINE SULPHATE (40%). A liquid. Aphids and all kinds of soft-bodied insects and some midges and some larvæ which do not come in this category are most effectively destroyed by this contact poison when used one part to 800 of water (1 or 2 teaspoonfuls per gallon). Makes a fine combination with Sunco Spray Oil for control of box leaf miner and lace bugs. Roses, chrysanthemums, nasturtiums and other flowers should be sprayed with it regularly throughout the Summer. Full directions on can.

PRICES:	$\frac{1}{2}$ lb. can	 \$1.25
	2 lb. can	 3.50
	10 lb. can	 13.50

## **FERTILIZERS**

FINE GROUND RAW BONE. For lawns apply  $1000~\mathrm{lbs.}$  per acre.

 PRICES: Bag of 200 lbs.
 @ \$6.00

 Per ton (2000 lbs.)
 @ 50.00

F. & I. TOBACCO. Fine ground, excellent as a grass fertilizer.

PEAT (Holland Peat). This is very finely ground. Excellent for potted plants or for Azalias, Rhododendrons and similar plants.

WHITE ROSE PLANT FOOD. A plant food which furnishes in correct proportions and available form, the three necessary elements which sustain the plant in all stages of its growth—potash, phosphorus and nitrogen. For grasses, flowers, vegetables, shrubbery, roses. Fine for lawns and golf greens. One pound treats 50 square feet of lawn. Full directions with each package.

1	lb.	can@	\$0.25	25 lb.	bag@	\$2.50
5	lb.	can@	.75	50 lb.	bag@	4.00
					bag@	

# PLANTING INSTRUCTIONS

Introduction:

Many of our customers, after the receipt of goods, write or telephone us for some suggestions for the proper planting of the material in hand, and in order that the proper information may be at hand so that the stock can be promptly and properly cared for, we have written the following brief but complete instructions, which if followed will insure satisfactory results.

# The Whole Subject of Successful Planting

may be briefly summed up as follows: Use Andorra-grown Trees. Shrubs and Plants; a well-drained hole larger than the spread of the roots; good soil, broken roots carefully trimmed and the top branches shortened in; soil packed so that the tree stands quite firm; a heavy mulching as soon as the planting is completed; careful watering during the first season, and thorough cultivation afterward.

On Arrival of the Shipment the bales or cases should be opened at once (except in freezing weather, when they should be placed in a cellar or other protected place to thaw out before unpacking), and if the stock cannot be planted at once it should be "heeled-in," taking care to protect the roots from the sun and winds. To do this, select for a heeling-in ground a location where there is good drainage; dig a trench from 1½ to 2 feet in depth and of sufficient width to accommodate the roots without bending them. In this trench set the trees close together, covering the roots carefully and thoroughly with soil, taking care that it is well worked in about them so as not to leave vacant spaces; then mound the soil along the line of trench, so that it will turn off the water in case of heavy rains. This is of special importance where the trees are to remain heeled-in any length of time.

Preparing to Plant. The most important point is the preparation of the hole; this should be dug at least a foot or two wider than the spread of roots of the tree to be planted, a very large specimen, when it should be proportionately deeper, and in the bottom of the hole the soil should be well loosened. Where the soil is not good, a much larger excavation should be made, and refilled with first-class soil. Should the planting space be in a clayey soil, the bottom of the hole should be thoroughly loosened, if possible, digging or blasting entirely through the clay; if not, then dig deep enough to fill in with stone or other loose material to provide proper drainage, which is most important.

Kind of Soil. A frequent question is "what kind of soil to use and with what to enrich it." Just here we would emphasize the fact that too much care cannot be taken with the preparations for planting. It is absolutely necessary that the tree be given an abundance of good soil if one would attain satisfactory

results. The best is that stripped from an old meadow, where the sod and topsoil can be taken together. It is always advisable, where much planting is done, to have a compost heap prepared the season previous by putting soil and manure in alternate layers, and turning the pile two or three times in the season to thoroughly mix them and prevent the manure burning out. When either of these kinds of soil is not procurable, old thoroughly rotted manure can be mixed with the soil for planting, but in no case should fresh manure or patent fertilizers be used.

When Setting the Tree take care that all broken portions of the roots are cut off in a clean, careful manner, cutting from the under side upward and using a pruning knife in preference to shears; than spread the roots in a natural position, taking care that the small fibers are not twisted or crowded. Fill in with good, fine soil, which should be worked carefully under the roots, so that no spaces remain unfilled. Be careful not to plant too deep. The tree will generally show by the soil mark on its bark the depth at which it stood in the nursery, and it should not be set more than two or three inches deeper. As the soil is filled in by layers, it should be carefully and firmly packed until the hole is filled to within an inch or two of the top. If it is dry weather the watering should now be done, and then the last of the soil spread without packing it. This loose top soil will act as a mulch and help to retain the moisture.

As soon as the hole is filled and the tree has been After Planting. properly and firmly set, spread over the surface a layer 3 to 4 inches thick of either old or fresh manure, to extend a foot or two beyond the line of the newly-filled hole. This mulching is important, as it will shade the ground and help to hold the moisture, and moisture is, after careful planting, the most important aid to insure success. It should be borne in mind that when a tree is transplanted, no matter how carefully the work is done, it is impossible to take up the entire root system, and therefore, before it is able to care for itself, new roots must be formed to take hold of the soil. In the meantime the moisture is being continually evaporated from the trunk and branches by the action of the wind and sun, and this must be balanced by an artificial supply. During the dry spells and hot weather of the following season, the soil around the base of the tree, for a space wider than the hole, should be frequently watered, but not sufficient to make the ground soggy, and when possible the foliage should be sprayed.

Proper Pruning. As it is imposible to transplant a tree without affecting the root system, it is important, in order to balance the supply and to help avoid excessive evaporation, that the top of the tree should be cut back. The amount of cutting depends entirely on the amount of fibrous root carried by the tree, although hard-wooded varieties usually require harder cutting than soft woods. It is a good rule to remove about three-fourths of last year's growth from all the branches; and in doing this use a sharp knife, making a perfectly clean cut, and taking off the branch or part

of branch either at a fork or close to a strong bud. Be very careful not to leave stumps, as they invariably die back and create decay. The best time for pruning is when the trees are set out, and if they are large it will be found advisable to cut them before they are planted; but in every case be careful to preserve the natural form of the tree, and do not cut back into old heavy wood that does not show buds.

Shrubbery will, as a rule, stand considerable pruning when set out. This must be determined by the shape of the plant, the amount of growing roots it carries, and the season at which it is to bloom. If lilacs and forsythias are planted in the Spring or Fall, and pruned severely, the next season's flowers will be lost, as they make their flowering buds on the old wood; and in case of shrubs of similar habit the pruning should be moderate, or if the plants are sufficiently robust the pruning should be left until the flower is past, and then done before the new growth commences, so that they will set their bloom for the following year. On the other hand, shrubs like Hydrangea paniculata grandiflora, which make their bloom on the growth of the current year, should be cut back severely in the early Spring, after the danger of hard freezing is past, as severe pruning induces new growth, and hence a greater abundance of bloom. Shrubbery pruning should be done with a knife, not with hedge shears, and, as a rule, just after the plants have flowered; but in some cases this would prevent the showy fruits and seeds in the Autumn. It is almost impossible to give general directions for pruning shrubbery and to those who wish more information we shall be glad to recommend books which treat the subject very fully.

Planting Perennials. The first thing to be considered is the proper preparation of the soil. The beds, enriched with well-rotted manure, should be dug deep, especially if there is a clay bottom, which should be broken through to give the bed proper drainage and permit deep rooting of the plants, so that they will withstand the drought of Summer. If planted in dry weather, they should be well watered, and throughout the Summer the surface of the beds thoroughly cultivated to keep down the weeds and conserve the moisture. All plants having weak stems should be staked to keep them in their natural position, and as soon as the individual flowers are passed they should be cut off to allow the strength of the plant to go toward forming other flowers instead of seed. This will prolong the period of the bloom. In the Fall cut all plants, except those which are evergreen, to within six inches of the ground, and cover the beds with long manure. In the Spring the long, strawy part of the manure should be removed and the short litter that remains be forked into the beds, to enrich them and aid the soil to retain moisture. A garden-fork should be used in working the beds after planting.



THIS axis-vista is similar to that shown on page 29, but the requirements as to detail and general atmosphere are different. A softer, more naturalistic framework was desirable and this was obtained effectively by the use of the Drooping Privet (Ligustrum Regelianum) backed by Dogwood (Cornus Florida); Flowering Crabs (Malus in variety), Flowering Cherry (Cerasus Avium alba Plena); Hawthorne (Crataegus in variety) tied together with drifts of Colden Bell (Forsythia) and the rich fruiting Viburnums.

# Index

### **DEPARTMENTS**

### Planting Instructions Page 102

	PAGE	Page
General Inst	ructions and Terms 6	Roses 85
		Herbaceous Plants 83
		Ferns 95
		Insecticides 99
Deciduous S	hrubs 57	Fertilizers 100
Vines and C	limbing Plants 79	

### INDEX OF BOTANICAL AND COMMON NAMES

A Disse	D. on	D
A PAGE	PAGE	PAGE
Abelia 57	Bittersweet 79	Comptonia 60
Abies 9	Black Haw 77	Cone Flower 90
Acanthopanax 57	Bladder Nut 73 Blanket Flower 88	Convallaria 87
Acer	Blanket Flower 88 Blueberry 76	Coral Berry
Achillea 84 Aconitum 84	Boltonia 86	Cornelian Cherry 61
Actinedia	Boston Ivv 79	Cornus40, 41, 60, 61
Adam's Needle 33	Botrychium 92	Corylus 62
Adiantum 92	Boulder Fern 92	Cotoneaster 28 62
Aesculus	Boxelder 35	Crab Apple, Flower-
Ajuga 84	Boxwood 26	ing48, 49
Akebia 79	Bridal Wreath 73	Cranberry Bush 77
Almond, Flowering 57	Broussonetia 38	Cranesbill 88
Althaea (see also Hi-	Buckthorn65, 71	Crataegus28, 42
biscus) 84	Buddleia 59	Cryptomeria 9
Alyssum 84	Bugle 84	Cucumber Tree 46
Amelanchier 57 Amorpha 57	Bugloss 84 Burning Bush 63	Cydonia
Amorpha	Bush Aralia 57	Cypress17, 18, 55 Cytisus
Amur Maple 35	Bush Cranberry 77	Cytisus 44
Amygdalus38, 57	Bush Honevsuckle 63,68,69	n
Anchusa 84	Butterfly Bush 59	
Andromeda 25	Buttonwood 52	Danesblood 86
Anemone 84	Buxus 26	Daphne 28
Anthemis 84		Day Lily 88
Apples, Flowering 48, 49	C	Delphinium 87
Aquilegia84, 85	Callicarpa 60	Deutzia
Arabis 86	Calveanthus 60	Dicentra 87
Aralia 57 Arborvitae21, 22, 23	Campanula 86	Dicksonia 92
Armeria	Candytuft 88	Diervilla 63
Aronia 58	Carpinus 38	Digitalis 87
Arrow-Wood 76	Catalpa 38	Diospyros 43
Arundinaria 25	Cedar	Dogwood40, 41, 60, 61
Ash 43	Cedrus	
Asplenium 92	Celastrus	$\mathbf{E}$
Asspidium 92	Centaurea 86	Eleagnus 63
Aster 86	Cerastium 86	Elderberry
Aubretia 86	Cerasus 39	Elm 56
Azalea25, 26, 58, 59	Ceratostigma 86	Elscholtzia 63
70	Cercidiphyllum 39	Engelmann's Creeper 79
В	Cercis	English Holly 10 English Ivv 81
Babysbreath 88	Chain Fern 92	Evergreen Creeper28, 80
Bambusa	Chamomile 84	Evergreen Thorn 28
Baptisa	Chelone	Euonymus 28, 29, 63, 80
Barberry26, 59 Bayberry70	Chionanthus 60	Eupatorium 87
Balloonflower 90	Chokeberry 58	Euphorbia 87
Beautyberry 60	Christmas Fern 92	Exochorda 64
Beech 43	Chrysanthemum87, 93	
Bellis 86	Cimicifuga 89	$\mathbf{F}$
Benzoin 59	Cinnamon Fern 92	Fagus 43
Berberis26, 59	Cinquefoil 73	False Chamomile 86
Betonica 86 Betula 38	Citrus 60	False Dragonhead 89
Betula	Clematis	False Indigo 86 False Spiraea 72
Biota9. 21	Coffee Tree 44	False Spiraea
Birch 38	Columbine 87	Fetterbush
		2 0000274014 1111111111111111111111111111111111

PAGE	PAGE	Pachysandra 30, Papaver 30, Papare Mulberry Payla See Aesculus Peach, Flowering Pearl Bush Peonies 96, Pentstemon Pepperbush Periwinkle Persica Persimmon Phegopteris Philadelphus Phlox 89, Physocarpus Physoarpus Physostegia Picea Pieris Pine 16, Plane 16, Plane Planera Platanus 16, Plane Planera Platanus Plum, Flowering Plum, Flowering Plumbago 86, Polymonium Polplar Poppy Populus Prima Poppy Populus Primrose Primula Privet Prunus Pseudotsuga Ptelea Pueraria Pyrethrum	AG]
Fir	Japanese Water Elm 50	Pachysandra30,	89
Flag94, 95	Jasmine         81           Jasminum         81	Papaver	8
Flame-flower 88	Jasminum 81	Paper Mulberry	38
Flax 89	Jetbead	Pavia, See Aesculus	7
Fleur-de-Lys 95	Juniperus10 to 13	Peach, Flowering	45
Flowering Fern 92		Pearl Bush	6
Flax     89       Fleur-de-Lys     95       Flowering Fern     92       Forget-me-not     86     89       Forsythia     64     64       Fox Grape     81     87       Fox Grape     81     Fraxinus     43       Funkia     87	к	Peonies96,	9
Forsythia 64		Pentstemon	8
Foxglove 87	Kalmia 30	Pepperbush	6
Fox Grape	Kalmia       30         Katsura       Tree       39         Kentucky       Coffee       Tree       44         Korrio       66	Periwinkle	9:
Fraxinus 43	Kentucky Coffee Tree. 44	Persica	45
Funkia 87		Persimmon	4;
~	Kniphofia         88           Koelreuteria         44           Kudzu Vine         81	Phegopteris	9:
G	Kudzu Vina	Philadelphus	70
Gaillardia 88	Kudzu vine 81	Phlox89,	98
Conicto 64		Physocarpus	7.
Geranium 88	L	Physostegia	8
Geranium 88 Geum 88 Geum 88 Gingko 44 Gleditschia 44 Globe Flower 66 Glossy Buckthorn 71 Gold-flower 66 Golden Bell 64 Golden Chain 44 Golden Chain 44 Golden Tuft 84 Gymnoeladus 44 Gypsophilla 88	Laburnum 44	Pionis	25
Gingko 44		Pino 16	12
Gleditschia 44	Lady Fern 92 Larch 45	Pinus 16	12
Globe Flower 66	Larix 45	Plane	50
Glossy Buckthorn 11	Larich     45       Larix     45       Larkspur     87       Lathyrus     89       Laurel     30       Lavendula     89       Leucothe     30       Liatris     89       Lignstrum     68	Planera	50
Gold-flower 66	Lathyrus 89	Platanus	50
Golden Bell 64	Laurel 30	Platycodon	90
Golden Chain 44	Lavendula 89	Plum, Flowering	50
Golden Moss 90	Leucothæ 30	Plumbago86.	90
Golden Tuit 84	Liatris 89	Polymonium	90
Gymnociadus 44	Ligustrum68	Polypodium	92
Gypsophina 88	Lilac	Poplar	50
	Lily-of-the-Valley 87	Poppy	88
н	Ligustrum 68 Lilgustrum 68 Lilgustrum 55, 74 Lily-of-the-Valley 57 Linden 55 Linum 89 Liquidambar 45 Liriodendron 45 Locust 44	Populus	50
Hackberry 39	Linum 89	Primrose	90
Halesia	Liquidambar 45	Primula	90
Hamamelis 64	Liriodendron 45	Privet	68
Hardy Orange 60	Locust 44	Prunus	90
Hardy Roses 82	Lonicera30, 68, 69, 81	Pseudotsuga	71
Hardy Orange 60 Hardy Roses 82 Hawthorn 42 Hazel 62	Locust	Ptelea	91
Hazel   62   Hazel   81   Hedera   81   Helenium   88   Helianthemum   88   Helianthus   88   Heliopsis   88   Hemerocallis or Day   Lilly   88   Hemck   24   Heuchera   88   Hibiscus   65   88   Highbush Blueberry   76   Hippophaea   65   Holly   10   29	Lythmyn	Pueraria	00
Hedera 81	Lythrum	Fyreunum	00
Helenium 88		Q	
Helianthus 88	M	· ·	
Helioneis 88	Magnolia	Quercus52, Quince	53
Hemerocallis or Day	Magnolia       46, 47         Mahonia       30         Maidenhair Fern       92         Maidenhair Tree       44         Male Fern       92         Maltese Cross       89	Quince	62
Lilly 88	Maidenhair Fern 92		
Hemlock 24	Maidenhair Tree 44	$\mathbf{R}$	
Heuchera 88	Male Fern 92	Raspberries, Flowering.	72
Hibiscus 65, 88	Maltese Cross 89	Red Bud, or Judas.39,	60
Highbush Blueberry 76	Malus48, 49	Red Osier	61
Hippophaea 65	Maple35, 36, 37	Retinospora17,	18
Holly	Mapleleaf Viburnum 76	Rhamnus	71
Holly Grape 30	Matrimony Vine 10	Rhododendron31 to	33
Hollyhock (see also	Mintshrub 65	Rhodora	58
Althaea)84, 88	Moranda 90	Rhodotypus	72
Honey Locust 44	Montahood 84	Rhus54,	72
Honeysuckie30, 63,	Moonwort 99	Robinia	00
Hon Troe 71	Mountain Ash 54	Pook Speedwell	91
Hornhaam 38	Mountain Bluett 86	Pose Again	72
Highbush Blueberry 76 Highpophaea 65 Holly 10, 29 Holly Grape 30 Hollyhock (see also Althaea) 84, 88 Honey Locust 44 Honeysuckle 30, 63, 63, 69, 81 Hop Tree 71 Hornbeam 38 Horse-Chestnut 38, 57 Hydrangea 66 Hypericum 66	Male Fern         92           Maltese Cross         89           Malus         48, 49           Maple         35, 36, 37           Mapleleaf Viburnum         76           Matrimony Vine         70           Mintshrub         63           Mockorange         70           Monarda         89           Monkshood         84           Moonwort         92           Mountain Ash         54           Mountain Bluett         86           Mountain Pink         89           Mulberry         38           Myosotis         89           Myrica         70	Raspberries, Flowering Red Bud, or Judas 39, Red Osier	33
Hydrangea	Mulberry 38	Rose Daphne	28
Hypericum 66	Myosotis 89	Rose of Sharon	65
and being the state of the stat	Myrica 70	Roses	82
I		Rubus	72
	N	Rudbeckia 9	90
Iberis     88       Ilex     10, 29, 66, 67       Indigo Bush     57       Ink Berry     29       Iris     94, 95		Rugosa Roses 8	82
Indigo Push 57	Namyberry 76		
Ink Rerry 20	Negundo.         See Acer         35           Ninebark         71           Nordman Fir         9           Nyssa         49	S	
Iric 94 95	Nordman Fir 0	St. John's Wort	66
Itea 66	Nyesa 49	Salisburia	44
Ivy 81	11 J SS 2	Salix	$5\overline{4}$
3		Solvio	nο
	0	Sambucus 5 Saponaria 5 Sassafras 5 Scabiosa 5	72
J	Oak52, 53	Saponaria 9	90
Jacob's Ladder 90	Oenothera89	Sassafras	54
Japan, or Boston Ivy 79	Olive—Russien 63	Scabiosa 9	90
Japanese Cedar 9	Onoclea 92		
Japan Judas 60	0 1 1 2 22		4()
	Oriental Plane 50	Sedum	20
Japan Quince 02	Oriental Plane 50 Osier 60. 61	Sedum	90
Japanese Holly 29	Oriental Plane       50         Osier       60       61         Osmunda       92         Ostick France       92	Sedum	90
Japanese Holly	Oriental Plane     50       Osier     60       Osmunda     92       Ostrich Fern     92       Oswago Boshalm     92	Sedum 9 Sempervivum 9 Sensitive Fern 9 Shad Bush 5 Shacto Daisy	90
Jacob's Ladder     90       Japan, or Boston Ivy     79       Japanese Cedar     9       Japan Judas     60       Japan Quince     62       Japanese Holly     29       Japanese Iris     94       Japanese Maples     37       Japanese Spurge     30       39     39	Oak         52, 53           Oenothera         89           Olive—Russien         63           Onoclea         92           Oriental Plane         50           Osier         60         61           Osmunda         92           Ostrich Fern         92           Oswego Beebalm         89           Oxydendron         49	Sedum 9 9 Sempervivum 9 Sensitive Fern 9 Shad Bush 5 Shasta Daisy 8 8 Silver Bell 4	90 92 57 37

PAGE	PAGE	PAGE
<b>S</b> ilver Vine 79	Symphoricarpos 75	Vinca 91
Sneezewort 84	Syringa	Vines and Climbing
Snowball 78		Plants 79
Snowbell 54	T	Virginia Creeper 79
Snowberry 75	Tamarix 76	Vitis 81
Snowhill Hydrangea 66	Taxodium 55	
Sorbaria	Taxus19, 20, 21	w
Sorbus	Tecoma 79	Water Elm 50
Sorrell Tree 49	Thalictrum 91	Water Locust 44
Sour Gum 49	Thorns	Wax Myrtle 70
Sour Wood 49	Thuja21, 22, 23	Wayfaring Tree 76
Spice Bush 59	Thujojpsis 21	Weigelia 78
Spiderwort 91	Thymus 91	White Fringe 60
Spiraea72, 73, 90	Tickseed 87	Wichuriana Roses 82
Spruce 14	Tilia 55	Wild Grape 81
Spurge 87	Tradescantia 91	Wild Sweet William 89
Stachys	Trillium 91 Trumpet Creeper 79	Willow 54 Wind Flower 84
Staphylea 73	Tsuga 24	Winter Berry 67
Stephanandra 73	Tulip Tree 45	Winter Creeper. 28, 29, 80
Stewartia 73	Turtlehead	Wisteria 81
Stokesia 91	Tupelo 49	Witch Hazel 64
Stonecrop 90	Tunica 91	Withe-rod 76
Styrax		Woadwaxen 64
Summer Grape 81	T	Woodsia 92
Summersweet 60	Ulmus 56	Woodwardia 92
Sundrops		_
Sun Rose 88	Umbrella Pine 19	X
Sweet Fern 60		Xanthorriza 78
Sweet Gum 45	v	
Sweet Shrub 60	Vaccinium 76	Y
Sweetspire 66	Varnish Tree 44	Yellow Root 78
Sweet William87	Veronica 91	Yew19, 20, 21
Sycamore 50	Viburnum76, 77, 78	Yucca 33

### MEMORANDA



